



HIGH PRESSURE LAMINATE • MELAMINE FACED BOARD • COMPACT HPL

infoGuide

Edition#2
2026

AGENCEMENT INTÉRIEUR
INTERIOR FITTING
INTERIEURINRICHTING
INTERIORES
DECORAÇÃO DE INTERIORES


 **polyrey®**

The infoGuide is updated regularly:
you can always find the most
up-to-date version on our website.



Edition #2 **2026**

www.polyrey.com



OUR STRENGTH :
INSPIRATION
RELIABILITY
COMMITMENT

70
YEARS OF
EXPERIENCE



Polyrey is a brand of the Wilsonart Group, world leader in decorative surfaces.

Recognised for our expertise and over 70 years of French know-how, our values are focused on the quality and performance of our products and their contribution to your future projects.

We surround ourselves with experts to create decorative offers that are as close as possible to current and future trends, and to develop technical and innovative products. Our customers recommend our products for their quality and technical reliability. To ensure the quality of our products throughout their life cycle, and to offer you high-performance services, we put our know-how at your disposal.

Our teams also put this experience to good use, working to reduce our environmental impact and develop a socially responsible approach.

OUR ENVIRONMENTALLY RESPONSIBLE APPROACH

20%

Recycled
kraft paper
in our HPL

85%

Renewable materials in
our melamine panels and
bonded boards

At the heart of our Sustainable Development approach, we have implemented an active policy to reduce the impact of our activities on the environment. This policy focuses on energy conservation, waste reduction, preservation of natural resources, air protection and product durability. We strive to reduce our environmental footprint at every stage of the manufacturing process and product life cycle.

OUR APPROACH TO SOCIAL POLICY

We are a company operating in a complex ecosystem that we are committed to developing every day. Diversity & Inclusion within our company, Career development, Employee well-being, Health & Safety, Contribution to local development and associations, Ethics and code of conduct are all part of our daily commitment to continuous improvement!

OUR SERVICE COMMITMENTS

Manufacturer of decorative laminates & melamine panels



EFFICIENT LEAD TIMES

We stock over 350,000 panels and ensure weekly deliveries from our French factories.

AN EFFICIENT SALES NETWORK

Our products are widely stocked for optimum coverage.

DEDICATED TEAMS TO SUPPORT YOU

Polyrey is your facilitating partner: we offer personalised support to all players in the building industry.

All our commitments
and services on

www.polyrey.com

YOUR MADE-TO-MEASURE SUPPORT

At every stage of your projects, we are at your side to ensure success and save you time. Renowned for our product expertise, we are also committed to the excellence of our service quality. At the heart of our service commitments: your customised support. The Polyrey teams are entirely at your disposal to meet your needs.




CHECK STOCK LEVELS, PRODUCTS
& DELIVERY TIMES IN REAL TIME!
AND MUCH MORE.



Discover PRO.CONNECT, our new platform designed to simplify your daily work. In just a few clicks, explore our products, view available decors and easily access all the useful information you need. Designed for professionals, PRO.CONNECT helps you save time, secure your choices and move forward more efficiently in your activities.

PRODUCT LINES FOR FIT-OUTS, DESIGN PROJECTS & FURNITURE



Galerie

Polyrey has designed the **Galerie** to simplify your search for decors and products best suited to your Interior Fitting project. The INTEGRAL and PLUS sections will guide you through our colour charts.


Galerie

INTEGRAL

designs available in
High Pressure Laminate*,
Melamine Faced Board and
Compact HPL.

PLUS

more designs
High Pressure Laminate*
and/or **Compact HPL**



		INTEGRAL	PLUS		
		MELAMINE FACED BOARD**	HIGH PRESSURE LAMINATE & HPL BONDED BOARD	COMPACT HPL	WATERPROOF PANEL SYSTEM
Galerie	FURNITURE, INTERIOR FITTING	•	•	•	
	WALL CLADDING, PARTITION FOR DRY AREA	•	•	•	
	DOOR		•		
	WETROOM WALL PANELS				•
	CUBICLE & LOCKER			•	
	OUTDOOR FURNITURE			•	

* All our HPL are also available as HPL bonded board.
** Touch anti-fingerprint finish: acrylic panel.

MELAMINED FACED BOARD*



Panoprey®

Decorative
and economical



* Touch anti-fingerprint finish : acrylic panel

HIGH PRESSURE LAMINATE

SERVICE : HPL BONDED BOARD



Polyrey HPL®

Hard-wearing, resistant
and hygienic




Monochrom HPL

Refined surface finish,
monobloc effect,
through-colour



Pur Métal®

Design and
elegance in real metal



Polyrey HPL® Signature

Custom-made HPL products

Polyprey®

Service and efficiency




Monochrom Polyprey®

Service and
monobloc effect,
through-colour



Panométal®

Convenience and elegance



Polyprey® Signature

Custom-made HPL products

CHOOSING THE RIGHT PRODUCT

COMPACT HPL



Reysipur®


Dense,
multi-purpose material

Monochrom Compact

Sophisticated, dense
& multi-purpose material,
through-colour

Reysipur® Signature

Custom-made HPL products



WATERPROOF PANEL SYSTEM



Wetwall™ Nuance

100% waterproof
Easy to install and without profile



99,9%
bacteria reduction

YOUR HYGIENE GUARANTEE

All our products benefit from an antibacterial treatment.

This treatment, used during our manufacturing process, is designed to limit the proliferation of bacteria throughout the product's lifespan thanks to a treatment based on an active biocidal substance: silver phosphoborate glass.

Effective, reliable, and laboratory-tested, it acts sustainably and contains no nanoparticles. It is included as a standard feature, with no additional cost for our customers.

info products

finishes

FA	Satiné
BRI	Brillant
EXM	Extrammat
EPM †	Epimat
SEV	Selva
LIM	Linimat
ESA	Essencia
LEG	Legno
SLK	Silk
TCH	Touch
TCL	Touch Linimat
TCR	Touch Roche
SUR	Surf
ALG	Alliage
FUS	Fusion
GRA	Granit
ROC	Roche
CUI †	Cuir

PRODUCTS INFO

MELAMINE FACED BOARD*

PANOPREY® Melamine Faced Board on chipboard	
Identical decor both sides	
SIZE (cm)	280 × 207
SUBSTRATE	Chipboard**
FINISHES	BRI (19 mm Standard), EPM (except 8 mm), ESA, EXM, FA, LEG, LIM, SEV, SLK
GRADE	Standard, Fire retardant (12, 16 and 19 mm), Moisture resistant (19 mm)
THICKNESS (mm)	8 • 12 • 16 • 19 • 25 • 30

PANOPREY® Melamine Faced Board on MDF	
Identical decor both sides	
SIZE (cm)	280 × 207
SUBSTRATE	MDF board
FINISHES	BRI (19 mm), EPM, ESA, EXM, FA, LEG, LIM, SEV, SLK
GRADE	Standard
THICKNESS (mm)	12 • 16 • 19

PANOPREY® TOUCH		
Matte anti-fingerprint Acrylic board		
1-sided or 2-sided decors		
SIZE (cm)	280 × 207	
SUBSTRATE	MDF faced chipboard	
FINISH	TCH	
GRADE	Standard	
THICKNESS (mm)	19	
1 sided - BACKING	Decors C201, N005, P114 and V112: backing black Others decors : backing white	

* Anti-fingerprint finish: Acrylic panel

** Low-emission substrate E1: equivalent to E0,5 commercial designation.



EDGE BANDS:

A large selection of decors is available in ABS edgebanding from our partners, please contact us.

HIGH PRESSURE LAMINATE

BONDED BOARD SERVICE:

100% of Polyrey HPL® laminate decors are also available bonded on a board (except Panometal®, only available in A905).

POLYREY HPL® High Pressure Laminate (HPL)	
1-sided decor	
SIZE (cm)	307 × 124 • 307 × 132 • 305 × 132 • 412 × 151 Doors Sizes : 215 × 97 • 245 × 124
CORE	Brown
FINISHES	ALG, BRI, CUI, EPM, ESA, EXM, FA, FUS, GRA, LEG, LIM, ROC, SEV, SLK, SUR, TCH, TCR, TCL
GRADE	Standard, Postforming grade (except BRI, CUI, EPM, TCH, TCR, TCL), Fire retardant*
THICKNESS (mm)	0,8 • 1,0 (BRI)

POLYPREY® Polyrey HPL® High Pressure Laminate Bonded Board	
1-sided or 2-sided decors	
SIZE (cm)	307 × 124 (Except TCH, TCR, TCL : 305 × 124)
SUBSTRATE	Chipboard**, brown core MDF, birch plywood substrate (only available in 306,5 x 123,5 cm and TCH, TCR and TCL in 305 x 132 cm)
FINISHES	ALG, BRI, CUI, EPM, ESA, EXM, FA, FUS, GRA, LEG, LIM, ROC, SEV, SLK, SUR, TCH, TCR, TCL
GRADE	Standard, Fire retardant* (only in chipboard), Moisture resistant (only in chipboard)
THICKNESS (mm)	19,6 • 20 (BRI)

More information about Signature page 32

MONOCHROM HPL Through-colour HPL Laminate	
1-sided decor	
SIZE (cm)	307 × 132
CORE	Warm white, cold white, beige, grey, extra black
FINISHES	ALG, BRI, CUI, EPM, EXM, FA, FUS, LEG, ROC, TCH
GRADE	Standard
THICKNESS (mm)	0,9 • 1,2

MONOCHROM POLYPREY® Through-colour MONOCHROM HPL Laminate Bonded Board	
Identical decor both sides	
SIZE (cm)	307 × 124
SUBSTRATE	Chipboard**
FINISHES	ALG, BRI, CUI, EPM, EXM, FA, FUS, LEG, ROC, TCH
GRADE	Standard, Fire retardant, Moisture resistant
THICKNESS (mm)	19,8 • 20,4

PUR METAL® Metal Laminate	
1-sided decor	
SIZE (cm)	305 × 122
CORE	Brown
FINISHES	MÉTAL BROSSÉ, MÉTAL TOUCH
GRADE	Fire retardant
THICKNESS (mm)	0,8 to 0,9

PANOMETAL® PUR METAL® Metal Laminate Bonded Board	
1-sided decor (only A905)	
SIZE (cm)	305 × 122
SUBSTRATE	Chipboard*
FINISH	MÉTAL BROSSÉ
GRADE	Standard, Fire retardant
THICKNESS (mm)	19,8

* TCH, TCR, and TCL: Fire-retardant only in 0.9 mm (HPL) and 19.8 mm (Polyprey®).

** Low-emission substrate E1: equivalent to E0,5 commercial designation.

PRODUCTS INFO

COMPACT HPL LAMINATE

Durcon®

Compact HPL laminate with very high resistance to chemicals and detergents available on request.

REYSIPUR® Compact High Pressure Laminate	
Identical decor both sides	
SIZE (cm)	307 × 124 • 307 × 132 Cubicle Sizes : 260 × 205 • 366 × 151 Door Sizes : 215 × 97
CORE	Black dyed
FINISHES	BRI, ESA, EXM, FA, FUS, LIM, ROC, SLK, TCH, TCR, TCL
GRADE	Standard, Fire retardant
THICKNESS (mm)	4 • 6 • 8 • 10 • 12,5 Cubicle : 12,5


MONOCHROM COMPACT Through-colour Compact Laminate	
Identical decor both sides	
SIZE (cm)	260 × 205 (only B170) • 305 × 132 • 307 × 132
CORE	Warm white, cold white, beige, grey, extra black
FINISHES	ALG, BRI, EXM, FA, FUS, ROC, TCH
GRADE	Standard (Black core) , Fire retardant (others cores)
THICKNESS (mm)	6 • 8 • 10 • 12,5

*Low-emission substrate E1: equivalent to E0,5 commercial designation.

WATERPROOF PANELLING SYSTEM

Wetwall™ NUANCE	
1-sided decor	
SIZE (cm)	260 × 120 • 260 × 60 (Others sizes on request)
SUBSTRATE	Composite board
FINISHES	BRI, EXM, FA, GRA, LIM, SEV
GRADE	Moisture resistant
THICKNESS (mm)	11,7

FINISHES



FA *Satiné*

Brillant BRI

Extramat EXM

Legno LEG

Essencia ESA

Linimat LIM

Selva SEV

Epimat EPM

Surf SUR

Alliage ALG

Fusion FUS

Cuir CUI

Granit GRA

Roche ROC

Touch TCH



Silk SLK

Touch Roche TCR



Touch Linimat TCL





MINIMUM ORDER QUANTITY & DELIVERY TIMES

These lead times are from our factories.
If you are a specifier or user, please contact our distributors or industrial partners to check availability and MOQs.

	PANOPREY®	POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE	
	Melamine Faced Board	High Pressure Laminate Service : HPL Bonded Board Polyrey®(1)					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel	
Size (cm)	280 × 207	DOOR		307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	CUBICLE		307 × 132	260 × 120	260 × 60 (3)
		215 × 97	245 × 124							260 × 205	366 × 151			
Minimum order quantity (panel) (Standard Grade*)	14	12: Polyrey HPL® 4: Polyrey®					1		Please consult us		1	1	2	
Delivery times from factory (week) (Standard Grade*)	2	1: Polyrey HPL® 2: Polyrey®					3		3	3	1	3	1	
Stocked or Make to order (Standard Grade*)	Make to order	Polyrey HPL®: Stocked Polyrey: Make to order					Make to order				Stocked	Make to order	Stocked	

	POLYREY HPL® SIGNATURE POLYREY HPL® LIBRARY					REYSIPUR® SIGNATURE REYSIPUR® LIBRARY			
	High Pressure Laminate Service : HPL Bonded Board Polyrey®					Compact HPL			
Size (cm)	218 x 102	218 x 132**	235 x 132	305 x 132	365 x 132 **	218 x 102	218 x 132**	305 x 132	365 x 132 **
Minimum order quantity (panel) (Standard Grade*)	1 : Polyrey HPL® Signature and Polyrey HPL® Library 4 : Polyprey® Signature and Polyprey® Library					1			
Delivery times from factory (week) (Standard Grade*)	4 : Polyrey HPL® Signature and Polyrey HPL® Library 5 : Polyprey® Signature and Polyprey® Library					4			
Stocked or Make to order (Standard Grade*)	Make to order					Make to order			

* For other grades, please contact us
** Size only available in Polyrey HPL® Signature, Polyprey® Signature and Reysipur® Signature

EN

D
T

Durion®
Tendance

↑

Vertical use only

●
UK

Available all countries
UK specific (other countries on request)

BF
BC
B
G
N
□
○

Cold White Core
Warm White Core
Beige Core
Grey Core
Extra Black Core
Straight Edge
Rounded Edge

(1)
(2)
(3)
(4)
(5)
(6)
(7)
(8)
(9)
(10)
(11)
(12)

Decors available in HPL laminate (sizes 307 x 132/124) are available in Polyprey® (HPL Bonded Board) in size 307 x 124 cm
A selection of decors is also available in 0.9 mm thickness
Tongue & groove only
Decorative combination tested for Outdoor Furniture use (for others decors, see dedicated brochure)
BRI only available in 1,0 mm Polyrey HPL® and 20 mm Polyprey®
Acrylic panel
Only available in 305 x 132 cm size
Decor B170 FA also available in 260 x 205 cm size
Horizontal and vertical decors of the same type may differ slightly in shade and depth
Difference in rendering (slightly iridescent) from sample shown in HPL
Also available in BRI
Only available in 412 x 151 cm size



p.14

MINIMUM
ORDER
QUANTITY

G AVAILABILITY TABLE

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade
(Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

Code	Decor	Finish	Family	↑															
005	Noir Classique	FA	D		•	•	•	• ⁽¹¹⁾		•	•								
030	Blanco Especial	FA	D		•	•	•	• ⁽¹¹⁾		• ⁽⁴⁾	• ⁽⁴⁾			• ⁽⁴⁾					
149	Gris Paloma	FA	D		•	•	•		•	•			•	•					
156	Crème Classique	FA	D		•		•			•									
A014	Aigue-Marine	FA	T				•			•									
A036	Amandine	FA	T				•			•									
A058	Acier Oxydé	FA	T	↑				•											
A094	Antilope	CUI	T	↑				•											
A094	Antilope	FA	T							•									
A095	Ardoise Oxydée	ROC	T					•			•								
A095	Ardoise Oxydée	FA	T							•									
A103	Argile Sablée	EXM	T					•			•								
A120	Aracena	EXM	T		•			•			•				G	G	•	•	
A120	Aracena	FA	T							• ⁽⁴⁾									
B001	Bleu Flash	FA	D		•			•		•			•	•					
B004	Blanc Lys	FA	T		•			•		•									
B015	Blanc Menuires	FA	T		•	•	•	•		• ⁽⁴⁾	• ⁽⁴⁾		• ⁽⁴⁾	• ⁽⁴⁾			•	•	
B023	Bois de Pécan	FA	D		•			•		•									
B041	Brasília	GRA	T					•									•	•	
B041	Brasília	FA	T							•									
B048	Bleu Oslo	FA	T		•	•	•	•		•	•		•	•					
B068	Blanc Chamonix	FA	D		•	•	•	•		•	•								
B069	Blanc Courchevel	FA	D		•	•	•	•		•	•								
B070	Blanc Megève	FA	T		•	•	•	•		• ⁽⁴⁾	• ⁽⁴⁾		• ⁽⁴⁾	• ⁽⁴⁾			•	•	
B070	Blanc Megève	EXM	T		•	•	•	•		•		•							
B070	Blanc Megève	SLK	T		•	•	•	•				•							
B070	Blanc Megève	BRI	T		•↑			• ⁽⁵⁾		•							•	•	
B070	Blanc Megève	EPM	T	↑	•	•	•	•											
B070	Blanc Megève	LEG	T		•			•											
B070	Blanc Megève	TCH	T		• ⁽⁶⁾	•	•	• ⁽⁷⁾				•		• ⁽¹²⁾					
B070	Blanc Megève	ALG	T					•											
B070	Blanc Megève	FUS	T					•				•							
B070	Blanc Megève	ROC	T					•				• ⁽⁴⁾							
B070	Blanc Megève	TCL	T					• ⁽⁷⁾				•							
B070	Blanc Megève	TCR	T					• ⁽⁷⁾				•							
B086	Bleu Caraïbes	FA	T		•	•	•	•		•	•		•	•					
B092	Brossé Gris	FA	D		•	•	•	•		•	•								
B099	Brushed Métal	FA	D		•			•		•									
B100	Baniam Blanchi	FA	T		•	•	•	•		•	•		•	•					
B100	Baniam Blanchi	EPM	T	↑	•	•	•	•											

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

Galerie INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL PLUS Available in HPL and/or Compact HPL Postfoming grade (Except BRI, CUI, EPM, TCH, TCL, TCR) Standard grade For fire retardant and moisture resistant properties, see pages 10 to 12.					PANOPREY®		POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE												
					Melamine Faced Board		High Pressure Laminate Service : HPL Bonded Board Polyprey® (1)					Compact HPL				High Pressure Laminate		Compact HPL		Waterproof panel										
					Size (cm)		DOOR					CUBICLE				307 × 132		260 × 120		260 × 60 (3)										
							215 × 97 245 × 124 307 × 124 307 × 132 412 × 151					215 × 97 307 × 124 307 × 132 260 × 205 366 × 151																		
					Thickness (mm)		8 - 12 - 16 - 19 - 25 - 30					0,8 Polyrey HPL® 19,6 Polyprey®					0,8		4 - 6 - 8 - 10 - 12,5				12,5		0,9(2) - 1,2		6 - 8 - 10 - 12,5		11,7	
					Code	Decor	Finish	Family	↑																					
	B101	Banien Noirici	FA	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	B101	Banien Noirici	EPM	T	↑		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B102	Bouleau de Sibérie	EXM	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	FA	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	SLK	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	TCH	T			•(6)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	BRI	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	TCL	T	↑					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	TCR	T	↑					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B116	Beige Nature	EXM	T																										
	B117	Blanc Artic	FA	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B117	Blanc Artic	EXM	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B117	Blanc Artic	SLK	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B117	Blanc Artic	EPM	T	↑		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	LEG	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	TCH	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	ALG	T							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	BRI	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	FUS	T							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	ROC	T							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	TCL	T							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B117	Blanc Artic	TCR	T							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B118	Bleu Nuit	FA	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B118	Bleu Nuit	BRI	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B119	Bleu Turquoise	FA	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B120	Brique	FA	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B120	Brique	BRI	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B120	Brique	TCH	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B120	Brique	TCL	T	↑					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	B120	Brique	TCR	T	↑					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B123	Bleu Azur	FA	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B124	Bleu Batik	FA	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B125	Bleu Pétrole	FA	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B125	Bleu Pétrole	BRI	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B125	Bleu Pétrole	TCH	T							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B125	Bleu Pétrole	TCL	T	↑						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B125	Bleu Pétrole	TCR	T	↑						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B126	Bleu Touareg	FA	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B127	Brun Havane	FA	T						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B131	Bouleau Argenté	EXM	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
B131	Bouleau Argenté	LEG	T			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		

INTEGRAL PLUS

INTEGRAL

PLUS



For fire retardant and moisture resistant properties, see pages 10 to 12.



You are looking for a decor code such as "TE1C". This is a Library decor. Information page 30.

		Compact HPL																
		PANOPREY®		POLYREY HPL®			REYSIPUR®			MONOCHROM		Wetwall™ NUANCE						
		Melamine Faced Board		High Pressure Laminate Service : HPL Bonded Board Polyprey® ⁽¹⁾			Compact HPL			High Pressure Laminate	Compact HPL	Waterproof panel						
				DOOR					CUBICLE									
Size (cm)		280 × 207		215 × 97	245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	260 × 205	366 × 151	307 × 132		260 × 120	260 × 60 ⁽³⁾	
Thickness (mm)		8 - 12 - 16 - 19 - 25 - 30		0,8 Polyrey HPL® 19,6 Polyprey®			0,8		4 - 6 - 8 - 10 - 12,5			12,5		0,9 ⁽²⁾ - 1,2	6 - 8 - 10 - 12,5		11,7	

	Code	Decor	Finish	Family	↑																		
	B133	Béton Bullé	GRA	T							●									●	●		
	B133	Béton Bullé	FA	T															●	●			
	B134	Béton Griffé	EXM	T		●		●	●		●		●		●			G	G				
	B134	Béton Griffé	FA	T										●									
	B135	Basalte	GRA	T							●												
	B135	Basalte	FA	T										●									
	B139	Bronze Doré	SUR	T	↑						●												
	B140	Buffle	CUI	T	↑						●												
	B140	Buffle	FA	T										●									
	B170	Blanc Absolu	FA	T														BC ⁽²⁾	BC ⁽⁸⁾				
	B170	Blanc Absolu	BRI	T														BC	BC				
	B170	Blanc Absolu	CUI	T	↑													BC					
	B170	Blanc Absolu	LEG	T														BC					
	B170	Blanc Absolu	ROC	T														BC	BC				
	B188	Blanc Névé	TCH	T														BF	BF				
	B189	Blanc Cristal	FA	T														BF ⁽²⁾	BF				
	B189	Blanc Cristal	EPM	T	↑													BF					
	B189	Blanc Cristal	FUS	T														BF	BF				
	B192	Bouleau Stevenson	EXM	T		●					●				●								
	B193	Bouleau de Gaspésie	EXM	T		●					●				●								
	B193	Bouleau de Gaspésie	FA	T										● ⁽⁴⁾									
	B194	Bleu Buée	FA	T						●		●					●	●					
	B195	Bleu de Sèvres	FA	T					●					●									
	B196	Bleu Velvet	FA	T		●		●	●	●			●	●									
	B197	Bleu de Prusse	FA	T					●					●									
	B199	Béton Calade	EXM	T		●					●				●								
	B200	Boston	EXM	T		●					●				●			G	G	●	●		
	B200	Boston	FA	T									● ⁽⁴⁾										
	B205	Beige Nude	FA	T		●		●	●	●			● ⁽⁴⁾	● ⁽⁴⁾									
	B205	Beige Nude	SLK	T		●					●				●								
	B205	Beige Nude	BRI	T						● ⁽⁵⁾				●									
	B206	Bleu Encre	FA	T		●		●	●	●		●	●			●	●						
	B206	Bleu Encre	TCH	T							● ⁽⁷⁾				●								
	B206	Bleu Encre	TCL	T	↑							● ⁽⁷⁾			●								
	B206	Bleu Encre	TCR	T	↑							● ⁽⁷⁾				●							
	B207	Bleu Poudré	FA	T		●		●	●	●			●	●									
	B207	Bleu Poudré	SLK	T		●					●				●								
	B207	Bleu Poudré	BRI	T						● ⁽⁵⁾				●									
	B208	Birnam Oak	EXM	D		●		●	●		●		●		●								

 Galerie

For fire retardant and moisture resistant properties, see pages 10 to 12.

code

You are looking for a decor code such as "TE1C". This is a Library decor. Information page 30.

[illegible]

INTEGRAL PLUS

INTEGRAL

PLUS



For



You are looking for a decor code such as "TE1C". This is a Library decor. Information page 30.

	Code	Decor	Finish	Family	↑																		
	C133	Chêne Vendôme	SEV	T			●		●	●	●												
	C133	Chêne Vendôme	ESA	T			●		●	●	●				●								
	C133	Chêne Vendôme	FA	T									●	●									
	C137	Chêne Cut Naturel	FA	D			●				●				●								
	C141	Ciment Frais	FA	T						●				●									
	C148	Chêne Pyla	EXM	T			●			●				●									
	C148	Chêne Pyla	LIM	T			●			●				● ⁽⁴⁾									
	C148	Chêne Pyla	FA	T									● ⁽⁴⁾										
	C149	Chêne Colorado	EXM	T			●			●				●									
	C149	Chêne Colorado	LIM	T			●			●				●				●	●				
	C149	Chêne Colorado	FA	T							●			●		●	●						
	C150	Chêne Brasero	SEV	T			●		●	●	●							●	●				
	C150	Chêne Brasero	FA	T									●	●									
	C151	Caldeira	ROC	T						●				●									
	C163	Ciment Brut	TCH	T													G	G					
	C166	Calacatta	FA	T													BC	BC ⁽⁷⁾					
	C178	Châtaignier Corte	EXM	T			●			●				●									
	C178	Châtaignier Corte	EPM	T	↑		●			●													
	C179	Chêne des Massifs	EXM	T			●		●	●	●		●	●				●	●				
	C179	Chêne des Massifs	ESA	T			●		●	●	●			●									
	C179	Chêne des Massifs	FA	T			●				●				●	●							
	C180	Chêne Alba	SEV	T			●		●	●	●							●	●				
	C180	Chêne Alba	LIM	T			●			●				● ⁽⁴⁾									
	C180	Chêne Alba	FA	T						●	● ⁽⁴⁾	● ⁽⁴⁾		● ⁽⁴⁾	● ⁽⁴⁾								
	C181	Cerisier Naturel	EXM	T			●			●				●									
	C182	Chêne Adrian	EXM	T			●		●	●	●		●		●								
	C182	Chêne Adrian	ESA	T			●		●	●	●			●									
	C183	Chêne d'Argent	LIM	T			●			●				● ⁽⁴⁾				●	●				
	C183	Chêne d'Argent	FA	T						●		● ⁽⁴⁾		● ⁽⁴⁾	● ⁽⁴⁾	● ⁽⁴⁾							
	C184	Cerisier des Cariatides	EXM	T			●			●				●									
	C185	Chêne d'Australie	EXM	T			●		●	●	●		●		●								
	C186	Chêne des Combrailles	EXM	T			●			●				●									
	C187	Cerisier Ambré	EXM	T			●			●				●									
	C187	Cerisier Ambré	FA	T									●										
	C188	Crème de Lait	FA	T			●		●	●	●		●	●									
	C189	Cyclamen	FA	T					●		●			●		●	●						
	C190	Céladon	FA	T			●			●		●		●		●	●						
	C201	Chêne des Tourbières	SEV	T			●			●													
	C201	Chêne des Tourbières	TCH	T			● ⁽⁶⁾		●	●	● ⁽⁷⁾			●									
	C201	Chêne des Tourbières	TCL	T	↑						● ⁽⁷⁾			●									

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor code such as "TELC".
This is a Library decor.
Information page 30.

Code	Decor	Finish	Family	↑															
C202	Chêne Zermatt	ESA	T		•	•	•	•		•									
C202	Chêne Zermatt	FA	T						•	• ⁽⁴⁾	• ⁽⁴⁾		• ⁽⁴⁾	• ⁽⁴⁾					
C203	Chêne Montorgueil	EXM	D		•	•	•	•		•	•								
C204	Chêne Montorgueil Horizontal ⁽⁹⁾	EXM	D		•	•	•	•		•	•								
C205	Chêne des Alpilles	ESA	T		•			•			•								
C206	Cathedral Oak	EXM	D		•	•	•	•		•	•								
C212	Chêne Monceau	EXM	D		•			•			•								
D212	Chêne Monceau	FA	D		•			•					• ⁽⁴⁾	• ⁽⁴⁾					
D018	Chêne de Meymac	FA	D		•	•	•	•		•	•								
D021	Pommier de Deauville	FA	D		•			•		•									
D062	Dolmen	SLK	T					•			•								
E009	Érable Blanc	FA	T		•	•	•	•		•	•								
E021	Écrû	FA	T		•	•	•	•		•	•								
E021	Écrû	SLK	T		•			•			•								
E021	Écrû	BRI	T				• ⁽⁵⁾			•									
E021	Écrû	TCH	T					• ⁽⁷⁾			•								
E021	Écrû	TCL	T	↑				• ⁽⁷⁾			•								
E021	Écrû	TCR	T	↑				• ⁽⁷⁾			•								
E026	Émeraude	FA	T				•			•									
E028	Érable Nordique	FA	D		•			•		•									
E035	Ébène	FA	T		•			•		•									
E035	Ébène	BRI	T					• ⁽⁵⁾			•								
E042	Ébène Oranga	FA	T		•			•		•									
E082	Épicéa	FA	T		•	•	•	•		•	•								
E083	Élina Clair	EXM	T		•			•			•								
E083	Élina Clair	EPM	T	↑	•			•											
E103	Érable Féroé	EXM	T		•	•	•	•		•	•								
E104	Érable Féroé Horizontal ⁽⁹⁾	EXM	T		•			•			•						•	•	
E105	Érable Brunswick	FA	T		•	•	•	•		•	•								
E107	Element	ROC	T					•			• ⁽⁴⁾				G	G			
E110	Eucalyptus Rubané	EPM	T	↑	•			•											
E110	Eucalyptus Rubané	FA	T							•									
F001	Florida	FA	T		•	•	•	•		•	•								
F006	Fer	FA	T		•	•	•	•		•	•								
F008	Fumée	FA	T				•			•							•	•	
F012	Fruitier Cendré	EXM	T		•	•	•	•		•	•								



p.14

MINIMUM
ORDER
QUANTITY

G AVAILABILITY TABLE

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade
(Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

PANOPREY®		POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE						
Melamine Faced Board		High Pressure Laminate Service : HPL Bonded Board Polyprey® (1)					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel						
280 × 207	DOOR		215 × 97	245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	CUBICLE		260 × 205	366 × 151	307 × 132	260 × 120	260 × 60 (3)		
8 - 12 - 16 - 19 - 25 - 30		0,8 Polyrey HPL® 19,6 Polyprey®					0,8		4 - 6 - 8 - 10 - 12,5			12,5		0,9(2) - 1,2		6 - 8 - 10 - 12,5		11,7	

	Code	Decor	Finish	Family	↑										
	F026	Feutre	FA	T		•	•	•	•	•	•				
	F026	Feutre	EXM	T		•	•	•	•	•	•				
	F026	Feutre	EPM	T	↑	•	•	•	•	•	•				
	F026	Feutre	LEG	T		•			•						
	F026	Feutre	ALG	T					•						
	F026	Feutre	FUS	T					•						
	F026	Feutre	ROC	T					•						
	F054	Ficelle	FA	T		•			•						
	F055	Figue	FA	T		•	•	•	•	•					
	F056	Frêne Scandinave	EXM	T		•	•	•	•	•				•	•
	F056	Frêne Scandinave	LEG	T		•			•						
	F056	Frêne Scandinave	FA	T					• ⁽⁴⁾						
	F058	Frêne Cristal	SEV	T		•			•					•	•
	F058	Frêne Cristal	FA	T					•						
	F059	Fonte	ROC	T					•						
	F061	Frêne Monreale	SEV	T		•	•	•	•						
	F061	Frêne Monreale	FA	T					•	•					
	F084	Fonte Noirçi	TCH	T									N	N	
	F086	Frêne de Liège	FA	T		•			•		• ⁽⁴⁾	• ⁽⁴⁾			
	F098	Frêne Blond	EXM	T		•			•						
	F098	Frêne Blond	LIM	T		•			•						
	F099	Frêne Charbonné	LEG	T		•			•						
	F099	Frêne Charbonné	FA	T					•						
	G003	Gris Perle	FA	D		•	•	•	•	•	•			•	•
	G005	Grand Bleu	FA	T				•	•						
	G012	Grès	FA	D		•	•	•	•	•					
	G024	Grenade	FA	T		•	•	•	•	•					
	G024	Grenade	BRI	T				• ⁽⁵⁾	•						
	G029	Gris Tourterelle	FA	T		•	•	•	•	•	•				
	G031	Genêt	FA	T		•	•	•	•	•	•				
	G044	Gris Dauphin	FA	T		•	•	•	• ⁽⁴⁾	• ⁽⁴⁾					
	G047	Glam Orphéo	BRI	T	↑				• ⁽⁵⁾						
	G059	Gris Orage	FA	D		•	•	•	•	•	•			•	•

 Galerie

PLUS Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

 Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor code such as "TE1C". This is a Library decor. Information page 30.

	Code	Decor	Finish	Family	↑																		
	G075	Gris Cendré	FA	T		●	●	●	●	●	●(4)	●(4)	●(4)	●(4)									
	G075	Gris Cendré	EXM	T		●	●	●	●	●	●	●	●										
	G075	Gris Cendré	SLK	T		●	●	●	●	●		●											
	G075	Gris Cendré	EPM	T	↑	●	●	●	●	●													
	G075	Gris Cendré	LEG	T		●				●													
	G075	Gris Cendré	TCH	T		●(6)	●	●	●	●(7)		●											
	G075	Gris Cendré	ALG	T	↑					●													
	G075	Gris Cendré	BRI	T					●(5)			●											
	G075	Gris Cendré	FUS	T						●			●										
	G075	Gris Cendré	ROC	T						●			●(4)										
	G075	Gris Cendré	TCL	T	↑					●(7)			●										
	G075	Gris Cendré	TCR	T	↑					●(7)			●										
	G076	Gris Acier	FA	T		●	●	●	●	●	●	●	●										
	G076	Gris Acier	SLK	T		●				●		●											
	G076	Gris Acier	BRI	T					●(5)			●											
	G076	Gris Acier	TCH	T						●(7)		●											
	G076	Gris Acier	TCL	T	↑					●(7)		●											
	G076	Gris Acier	TCR	T	↑					●(7)		●											
	G077	Galet	FA	T		●	●	●	●	●	●	●	●	●									
	G077	Galet	SLK	T		●				●		●											
	G077	Galet	BRI	T					●(5)			●											
	G077	Galet	TCH	T						●(7)		●											
	G077	Galet	TCL	T	↑					●(7)		●											
	G077	Galet	TCR	T	↑					●(7)		●											
	G080	Gris Taupe	FA	T					●			●											
	G082	Glacis Charbon	FA	T		●				●		●											
	G082	Glacis Charbon	CUI	T	↑					●													
	G087	Grès Antique	EXM	T						●			●										
	G115	Gris Saguenay	FA	T					●			●											
	G115	Gris Saguenay	BRI	T					●(5)			●											
	G116	Gris Halo	FA	T		●	●	●	●		●	●											
	G117	Gris Birdy	FA	T					●			●											
	G118	Gris Mercure	FA	T		●			●			●											
	G119	Gris de Lin	FA	T		●			●			●											
	G119	Gris de Lin	EXM	T		●				●			●										
	G119	Gris de Lin	EPM	T	↑	●				●													
	G119	Gris de Lin	LEG	T		●				●													
	G119	Gris de Lin	ALG	T						●													
	G119	Gris de Lin	CUI	T	↑					●													
	G119	Gris de Lin	FUS	T						●			●										
	G119	Gris de Lin	ROC	T						●			●										



p.14

MINIMUM
ORDER
QUANTITY

AVAILABILITY TABLE

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade
(Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

Compact HPL	PANOPREY®	POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE		
	Melamine Faced Board	High Pressure Laminate Service : HPL Bonded Board Polyprey® (1)					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel		
Size (cm)	280 × 207	DOOR		245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	CUBICLE		307 × 132	260 × 120	260 × 60 (3)
		215 × 97	260 × 205								366 × 151				
Thickness (mm)	8 - 12 - 16 - 19 - 25 - 30	0,8 Polyrey HPL® 19,6 Polyprey®					0,8	4 - 6 - 8 - 10 - 12,5			12,5		0,9(2) - 1,2	6 - 8 - 10 - 12,5	11,7

	Code	Decor	Finish	Family	↑												
	G120	Gris Vison	FA	T		•	•	•	•	•	•	•	•	•			
	G120	Gris Vison	SLK	T		•			•			•					
	G120	Gris Vison	BRI	T				•(5)		•							
	G120	Gris Vison	TCH	T					•(7)			•					
	G120	Gris Vison	TCL	T	↑					•(7)		•					
	G120	Gris Vison	TCR	T	↑					•(7)		•					
	G121	Gris Étincelle	BRI	T	↑					•(5)							
	G175	Gris Absolu	FA	T								G	G				
	G175	Gris Absolu	BRI	T								G	G				
	G175	Gris Absolu	FUS	T								G	G				
	G176	Gris Mystic	TCH	T								G	G				
	H025	Pommier de Honfleur	FA	D		•			•		•						
	H027	Hêtre de Provence	FA	D		•	•	•	•	•	•						
	H028	Hêtre Bergen	SEV	T		•	•	•	•								
	H028	Hêtre Bergen	FA	T						•(4)	•(4)						
	H029	Hêtre Stockholm	SEV	T		•			•								
	H029	Hêtre Stockholm	FA	T						•							
	H035	Hacienda	FA			•		•	•			•	•				
	I004	Inox Brossé	FA	T		•(10)			•		•						
	I004	Inox Brossé	ALG	T					•			G	G(7)				
	J018	Jaune Gouache	FA	T				•		•							
	J024	Jaune Sambra	FA	T		•	•	•	•	•	•						
	J024	Jaune Sambra	BRI	T				•(5)		•							
	K003	Kaki	FA	T		•			•		•						
	K003	Kaki	BRI	T				•(5)		•							
	L068	Lézard	CUI	T	↑				•								
	L068	Lézard	FA	T						•							
	L092	Lamella Clair	EXM	T		•	•	•	•	•	•						
	L093	Lamella Noisette	EXM	T		•	•	•	•	•	•						
	M001	Maryland Clair	FA	D		•				•		•	•				
	M001	Maryland Clair	SUR	D					•	•							
	M003	Maryland Foncé	FA	D		•				•		•	•				
	M003	Maryland Foncé	SUR	D					•	•							
	M007	Merisier Rustique	FA	D		•			•	•							
	M022	Marbre Veneto	EXM	T		•	•	•	•	•	•				•	•	
	M022	Marbre Veneto	FA	T		•			•			•(4)	•(4)				
	M047	Mousse	FA	T		•		•	•	•	•	•	•				
	M080	Marbre d'Ambria Noir	BRI	T											•	•	

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code
You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

Galerie INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL PLUS Available in HPL and/or Compact HPL Postfoming grade (Except BRI, CUI, EPM, TCH, TCL, TCR) Standard grade For fire retardant and moisture resistant properties, see pages 10 to 12.					PANOPREY®		POLYREY HPL®				REYSIPUR®				MONOCHROM		Wetwall™ NUANCE												
					Melamine Faced Board	High Pressure Laminate Service : HPL Bonded Board Polyprey® (1)					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel												
					Size (cm)	DOOR					CUBICLE				307 × 132		260 × 120	260 × 60 (3)											
						215 × 97	245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	260 × 205					366 × 151										
					Thickness (mm)	8 - 12 - 16 - 19 - 25 - 30					0,8 Polyrey HPL® 19,6 Polyprey®					0,8		4 - 6 - 8 - 10 - 12,5				12,5		0,9(2) - 1,2		6 - 8 - 10 - 12,5		11,7	
					code You are looking for a decor code such as "TEIC". This is a Library decor. Information page 30.																								
Code	Decor	Finish	Family	↑																									
M091	Merisier Ambré	FA	D		•				•				•																
M100	Muscade	FA	T		•				•				•																
M102	Miel Sucré	FA	T						•				•																
M103	Mimosa	FA	T						•				•																
M112	Manganèse	FUS	T										•																
M122	Multiplis Nature	EXM	T		•	•			•			•																	
M124	Marbre Taisa	EXM	T										•												•		•		
M124	Marbre Taisa	FA	T																										
M125	Marquina	BRI	T																										
M132	Multiplis Tropical	EXM	T		•				•																				
M132	Multiplis Tropical	EPM	T	↑	•								•																
M133	Mauve Poudré	FA	T						•				•																
M134	Marbre Siroco	EXM	T										•												•		•		
M134	Marbre Siroco	FA	T																										
M135	Médicis	FA	T										•																
M137	Marbre Palazzo	BRI	T										•(5)																
M137	Marbre Palazzo	FA	T																										
M138	Marbre de Paros	SLK	T										•																
M138	Marbre de Paros	EXM	T																										
M141	Marbre Venexia	EXM	T																										
M142	Marbre Alchimique	TCH	T										•(7)																
M143	Météorite	TCH	T										•(7)																
M143	Météorite	TCR	T	↑									•(7)																
M144	Marbre Alcino	EXM	T		•								•																
M149	Mauve Aquarelle	FA	T		•				•		•																		
N002	Néon	FA	T						•					•															
N005	Noir	FA	T		•	•	•	•		•	•	•		•	•		•	•											
N005	Noir	SLK	T		•	•	•		•				•				•												
N005	Noir	EPM	T	↑	•	•	•		•																				
N005	Noir	TCH	T		•(6)	•	•		•(7)								•								•(12)				
N005	Noir	ALG	T	↑					•																				
N005	Noir	BRI	T						•(5)								•												
N005	Noir	FUS	T										•				•												
N005	Noir	LEG	T										•																
N005	Noir	ROC	T										•																
N005	Noir	TCL	T										•(7)																
N005	Noir	TCR	T										•(7)																
N010	Noyer Perlé	FA	D	↑	•					•																			
N023	Nova Saphir	FA	T		•																								
N023	Nova Saphir	SUR	T							•	•																		



p.14

MINIMUM
ORDER
QUANTITY

G AVAILABILITY TABLE

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade
(Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

PANOPREY®		POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE						
Melamine Faced Board		High Pressure Laminate Service : HPL Bonded Board Polyprey® ⁽¹⁾					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel						
280 × 207		DOOR								CUBICLE									
215 × 97		245 × 124		307 × 124		307 × 132		412 × 151		215 × 97		307 × 124		307 × 132					
260 × 205		366 × 151								307 × 132		260 × 120		260 × 60 ⁽³⁾					
8 - 12 - 16 - 19 - 25 - 30		0,8 Polyrey HPL® 19,6 Polyprey®					0,8		4 - 6 - 8 - 10 - 12,5			12,5		0,9 ⁽²⁾ - 1,2		6 - 8 - 10 - 12,5		11,7	

Code	Decor	Finish	Family	↑												
N024	Noyer Tropical	EXM	T		•	•	•	•	•	•						
N026	Noyer Ombré	FA	T		•			•	•		•	•				
N026	Noyer Ombré	EXM	T		•	•	•	•	•	•						
N056	Noisetier Naturel	EXM	T		•	•	•	•	•	•						
N056	Noisetier Naturel	FA	T					•		•	•					
N057	Noisetier Brun	EXM	T		•	•	•	•	•	•						
N105	Noir Absolu	FA	T										N (2)	N		
N105	Noir Absolu	BRI	T										N	N		
N105	Noir Absolu	CUI	T	↑									N			
N105	Noir Absolu	EPM	T	↑									N			
N105	Noir Absolu	FUS	T										N	N		
N105	Noir Absolu	LEG	T										N			
N105	Noir Absolu	ROC	T										N	N		
N110	Noir Sidéral	TCH	T										N	N		
N112	Noyer d'Amérique	EXM	T		•	•	•	•	•	•						
N112	Noyer d'Amérique	LIM	T		•			•		•						
N113	Noyer Marbot	SEV	T		•	•	•	•								
N113	Noyer Marbot	LIM	T		•			•								
N113	Noyer Marbot	FA	T						•	•						
N114	Noyer Havana	EXM	T		•		•			•						
N115	Noyer Havana Horizontal (9)	EXM	T												•	•
N116	Noyer Flammé	EXM	T		•			•		•						
N116	Noyer Flammé	ESA	T		•			•		•						
N117	Noyer Chesterfield	EXM	T		•	•	•	•	•	•						
N117	Noyer Chesterfield	BRI	T				• (5)			•						
N118	Noyer Appalaches	EXM	T		•			•		•						
N119	Noir Pépîte	BRI	T	↑			• (5)									
N122	Noyer Moka	ESA	T		•	•	•	•		•						
N122	Noyer Moka	FA	T						•	•						
O030	Olivier de Séville	EXM	T		•		•			•						
O076	Olivier Foncé	EXM	T		•		•			•						
O079	Orme Armagnac	EXM	T		•		•			•						
O079	Orme Armagnac	LEG	T		•		•									
O079	Orme Armagnac	FA	T						• (4)							
O081	Orme des Flandres	EXM	T		•		•			•						
O082	Orme d'Autrefois	SEV	T		•		•									
O082	Orme d'Autrefois	FA	T						•							
O083	Orme Lubéron	EXM	T		•		•			•						
O084	Onde Sablée	EXM	T		•		•			•					•	•
O102	Oxydo Noirci	FUS	T				•			•						

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



You are looking for a decor
code such as "TE1C".
This is a Library decor.
Information page 30.

Galerie					PANOPREY®	POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL					Melamine Faced Board	High Pressure Laminate Service : HPL Bonded Board Polyprey® (1)					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PLUS Available in HPL and/or Compact HPL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Postfoming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)					280 × 207	DOOR							CUBICLE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Standard grade						215 × 97	245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	260 × 205	366 × 151	307 × 132	260 × 120	260 × 60 (3)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
For fire retardant and moisture resistant properties, see pages 10 to 12.					8 - 12 - 16 - 19 - 25 - 30	0,8 Polyrey HPL® 19,6 Polyprey®					0,8	4 - 6 - 8 - 10 - 12,5		12,5		0,9(2) - 1,2	6 - 8 - 10 - 12,5	11,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
code You are looking for a decor code such as "TEIC". This is a Library decor. Infomation page 30.					Code	Decor	Finish	Family	↑																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	O110	Orme Brun	EXM	T		•				•				•																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							



p.14

MINIMUM
ORDER
QUANTITY

AVAILABILITY TABLE

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade
(Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



code

You are looking for a decor
code such as "TEIC".
This is a Library decor.
Information page 30.

PANOPREY®		POLYREY HPL®					REYSIPUR®				MONOCHROM		Wetwall™ NUANCE						
Melamine Faced Board		High Pressure Laminate Service : HPL Bonded Board Polyprey® ⁽¹⁾					Compact HPL				High Pressure Laminate	Compact HPL	Waterproof panel						
280 × 207	DOOR		215 × 97	245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	CUBICLE		260 × 205	356 × 151	307 × 132	260 × 120	260 × 60 ⁽³⁾		
8 - 12 - 16 - 19 - 25 - 30		0,8 Polyrey HPL® 19,6 Polyprey®					0,8		4 - 6 - 8 - 10 - 12,5			12,5		0,9 ⁽²⁾ - 1,2		6 - 8 - 10 - 12,5		11,7	

Code	Decor	Finish	Family	↑										
R050	Roc d'Armor	ROC	T											
R057	Rouge Amarante	FA	T											
R058	Rose Givré	FA	T											
R059	Rose Indien	FA	T											
R060	Rose Velours	FA	T											
R061	Rouge Cinabre	FA	T											
R062	Rouge Fatal	FA	T											
R062	Rouge Fatal	BRI	T											
S030	Strass Blanc	BRI	T											
S033	Strass Noir	BRI	T											
S040	Cérusé Clair	FA	T											
S046	Silverblack Wood	LEG	T	↑										
S047	Salina	GRA	T											
S047	Salina	FA	T											
S049	Slate	ROC	T											
S049	Slate	FA	T											
S066	Sable Mouillé	FA	T											
S067	Seigle	FA	T											
S067	Seigle	CUI	T	↑										
S068	Soie Grège	FA	T											
S124	Schiste Clair	ROC	T											
T006	Tectonica	EXM	T											
T006	Tectonica	ROC	T											
T006	Tectonica	FA	T											
T063	Terre d'Ombre	FA	T											
T085	Terre Sablée	ROC	T											
T086	Textus Gris	EXM	T											
T087	Textus Poivre	EXM	T											
T091	Turin Marble	EXM	T											
T105	Teck Carbone	FA	T											
T105	Teck Carbone	LIM	T											
T106	Tangerine	FA	T											
T107	Terrazzo Cassata	EXM	T											
T107	Terrazzo Cassata	FA	T											
T108	Travertin Naturel	EXM	T											
T109	Tadelakt Ambré	EXM	T											
T111	Textus Havana	EXM	T											
T115	Travertin Vesta	FA	T											
U191	Underground Corten	EXM	T											
U192	Underground Fonte	EXM	T											
U193	Underground Rouille	FUS	T											

INTEGRAL PLUS

Galerie

INTEGRAL Available in Melamine Faced Board, HPL and Compact HPL

PLUS Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.



You are looking for a decor code such as "TEIC". This is a Library decor. Information page 30.

Galerie

INTEGRAL

Available in Melamine Faced Board, HPL and Compact HPL

PLUS

Available in HPL and/or Compact HPL

Postforming grade (Except BRI, CUI, EPM, TCH, TCL, TCR)

Standard grade

For fire retardant and moisture resistant properties, see pages 10 to 12.

code

You are looking for a decor code such as "TEIC". This is a Library decor. Information page 30.

					PANOPREY®			POLYREY HPL®					REYSIPUR®					MONOCHROM		Wetwall™ NUANCE		
					Melamine Faced Board		High Pressure Laminate Service : HPL Bonded Board Polyprey® (1)					Compact HPL			High Pressure Laminate	Compact HPL	Waterproof panel					
Size (cm)	Thickness (mm)	280 × 207		DOOR							CUBICLE											
		215 × 97	245 × 124	307 × 124	307 × 132	412 × 151	215 × 97	307 × 124	307 × 132	260 × 205	366 × 151	307 × 132		260 × 120								
8 - 12 - 16 - 19 - 25 - 30					0,8 Polyrey HPL® 19,6 Polyprey®					0,8			4 - 6 - 8 - 10 - 12,5		12,5		0,9 ⁽²⁾ - 1,2		6 - 8 - 10 - 12,5		11,7	

	Code	Decor	Finish	Family	↑																			
	V014	Vinyle	FA	T																				
	V015	Vésuvio	GRA	T																				
	V015	Vésuvio	FA	T																				
	V106	Vert de Gris	FA	T																				
	V107	Vert Paradis	FA	T																				
	V108	Vert Sarcelle	FA	T																				
	V108	Vert Sarcelle	BRI	T																				
	V109	Vert Bali	FA	T																				
	V110	Vert Impérial	FA	T																				
	V112	Vert des Vosges	FA	T																				
	V112	Vert des Vosges	TCH	T																				
	V112	Vert des Vosges	TCL	T	↑																			
	V112	Vert des Vosges	TCR	T	↑																			
	V113	Vert Sauge	FA	T																				
	V113	Vert Sauge	SLK	T																				
	W009	Wengé Blanc Cérusé	EXM	T																				
	W009	Wengé Blanc Cérusé	EPM	T	↑																			
	W017	Wengé Poivre Cérusé	EXM	T																				
	W017	Wengé Poivre Cérusé	EPM	T	↑																			
	W172	Woodstone Gris	EXM	T																				
	Y022	Rose Bougainvillée	FA	T																				
	Z002	Zebra Moka	FA	D																				
	Z016	Zeste de Citron	FA	T																				
	Z017	Zingana	EXM	T																				
	Z017	Zingana	BRI	T																				
	Z022	Zeste Coco	FA	T																				

Library, Pur Métal®, Signature.

See the following pages



Trend'lab. LIBRARY

Library, an ever-evolving selection where each new design anticipates tomorrow's desires. Reinterpreted woods, mineral effects, graphic patterns... every decor draws inspiration from current trends and accompanies the ongoing evolution of styles and spaces.

info

finishes

60

Satin / *Satiné*

BRI

Brillant

EXM

Extrammat

SLK

Silk

NEW

GRM

Granimat

		POLYREY HPL® LIBRARY					REYSSIPUR® LIBRARY		
		High Pressure Laminate Service : Bonded Board Polyprey® (1)					Compact HPL		
	Panel Size (cm)	Standard grade			Fire retardant				
		218 × 102	235 × 132		305 × 132		218 × 102	305 × 132	
	Usable Area (cm)	218 × 102	235 × 132	235 × 130	305 × 132	305 × 130	218 × 102	305 × 132	305 × 130
	Repeatable(2)	NO	NO	YES	NO	YES	NO	NO	YES
	Bleed areas(3)	NO	NO	YES	NO	YES	NO	NO	YES
	Thickness (mm)	0,8 Polyrey HPL® Library 19,6 Polyprey® Library					4 - 6 - 8 - 10 - 12,5		
		1,0 Polyrey HPL® Library 20 Polyprey® Library					4 - 6 - 8 - 10 - 12,5		
	Finishes	60 - EXM - SLK			60 - EXM - BRI - SLK - GRM		60 - EXM - SLK	60 - EXM - SLK - GRM - BRI(4)	

Personalise all our Library decors!

Discover all our personalisation options

(1) Chipboard only available in size 305 x 132 cm. - (2) Some "repeatable" decors are more suited for fitting based on the pattern continuity. Decors "without repeat" fit side by side without a pattern continuity. - (3) To realise a precise and optimized connexion between two panels, we anticipate a bleed area on the panel. - (4) BRI one-sided decorative.

pur métal®

PLUS

	PUR METAL®	PANOMETAL®
	Metal Laminate	PUR METAL® Metal Laminate Bonded Board
Size (cm)	305 × 122	305 × 122
Thickness (mm)	0,8 to 0,9	19,8

	Code	Decor	Finish	Family	↑		
	A905	Alu Brossé	MÉTAL BROSSÉ	T	↑	•	•
	B141	Bronze Brossé	MÉTAL BROSSÉ	T	↑	•	
	O100	Or Brossé	MÉTAL BROSSÉ	T	↑	•	
	T113	Tungstène Brossé Mat	MÉTAL TOUCH 	T	↑	•	
	T989	Titane Brossé	MÉTAL BROSSÉ	T	↑	•	



p.14

MINIMUM
ORDER
QUANTITY

Signature.

EMOTIONAL SURFACES



Signature is your ideal partner for creating your custom laminates from photo, illustration, logo, typography, signage, and more. The performance of our HPL laminates - thin, thick, or laminated - combined with a simple process and the support of our experts, transforms your projects into unique spaces that blend high standards with emotion.

Enter the
world of Signature



60	Satin
BRI	Brillant
EXM	Extrammat
SLK	Silk
ARB	Arbora
GRM	Granimat
TXL	Textile

Signature.

EMOTIONAL SURFACES

	POLYREY HPL® SIGNATURE					REYSIPUR® SIGNATURE			
	High Pressure Laminate Service : Bonded Board Polyprey® (1)					Compact HPL			
Panel Size (cm)	218 × 102	218 × 132	235 × 132	305 × 132	365 × 132	218 × 102	218 × 132	305 × 132	365 × 132
Usable Area (cm)	214 × 98	214 × 128	231 × 128	301 × 128	361 × 128	214 × 98	214 × 128	301 × 128	361 × 128
Thickness (mm)	0,8 Polyrey HPL® Signature 19,6 Polyprey® Signature					4 - 6 - 8 - 10 - 12,5 - 13 - 15 - 16 - 18 - 20 - 25 ⁽²⁾			
	1,0 Polyrey HPL® Signature 20 Polyprey® Signature					4 - 6 - 8 - 10 - 12,5 - 13 - 15 - 16 - 18 - 20 - 25 ⁽²⁾			
Finishes	60 - EXM - SLK - ARB		60 - EXM - SLK - BRI - ARB - TXL - GRM		60 - EXM - BRI - TXL - GRM	60 - EXM - SLK	60 - EXM	60 - EXM - SLK - GRM - BRI ⁽³⁾	60 - EXM

(1) Chipboard, not available in size 235 x 132 cm. Fire retardant only in size 305 x 132 cm. - (2) Not available in size 365 x 132 cm. - (3) BRI : one-sided decorative until thickness 13 mm.

Custom-made service

*A dedicated service
Optimisation of your files
Expert advice on graphic design
Free prototype
Order from only 1 panel
Service offerings: Standard, Standard +, Special, Business +,
Additional prototype*



Image file



Prototype



Order



Manufacturing

Our next project is yours. Contact-us !

signature@polyrey.com

COLOUR MATCHES & LRV*

plain
colours

To facilitate co-ordination of our plain colour decors with other decorative materials, you will find the NCS® - RAL® - BS® - Pantone® - LRV matches for each colour in this table. The codes are given on an indicative basis. For the RAL® - BS® colour chart, Polyrey decors may vary : L = light / D = dark



Find your perfect decor! On polyrey.com, explore our advanced search tool. Enter your RAL or NCS reference and instantly access the décors closest to your inspiration.

Code	Decor	Finish	PANTONE	RAL	NCS	BS	LRV
005	Noir Classique	FA	Black C	9005	\$ 9000-N	00 E 53	0,05
030	Blanco Especial	FA	9064 C	9016	\$ 0502-G50Y	00 E 55	0,83
149	Gris Paloma	FA	413 C	7035	\$ 2000-N	00 A 03	0,55
156	Crème Classique	FA	7501 C	1015 (D)	\$ 1010-Y30R	08 C 31 (L)	0,69
A014	Aigue-Marine	FA	621 C	-	\$ 1010-G	14 C 31 (L)	0,74
A036	Amandine	FA	358 C	6019	\$ 1030-G10Y	14 D 41 (D)	0,55
B001	Bleu Flash	FA	300 C	5015	\$ 2065-R90B	20 E 53 (D)	0,11
B004	Blanc Lys	FA	9062 C	9003	\$ 0505-R70B	22 C 31 (D)	0,80
B015	Blanc Menuires	FA	9064 C	9016	\$ 0502-G50Y	00 E 55	0,84
B048	Bleu Oslo	FA	644 C	-	\$ 1030-R80B	20 D 41 (D)	0,52
B068	Blanc Chamonix	FA	9064 C	9016	\$ 0502-G	10 A 01 (D)	0,82
B069	Blanc Courchevel	FA	9062 C	9003	\$ 0505-R70B	22 C 31 (D)	0,78
B070	Blanc Megève	FA	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	EXM	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	SLK	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	BRI	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	EPM	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	LEG	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	TCH	-	9016	\$ 0500 - N	00 E 55	0,85
B070	Blanc Megève	ALG	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	FUS	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	ROC	9064 C	9016	\$ 0502-G50Y	10 A 01	0,81
B070	Blanc Megève	TCL	-	9016	\$ 0500 - N	00 E 55	0,85
B070	Blanc Megève	TCR	-	9016	\$ 0500 - N	00 E 55	0,85
B086	Bleu Caraïbes	FA	7687 C	5002	\$ 4050-R80B	-	0,09
B116	Beige Nature	FA	9223 C	-	\$ 2005-Y50R	-	0,51
B116	Beige Nature	SLK	9223 C	-	\$ 2005-Y50R	-	0,51
B116	Beige Nature	TCH	-	-	\$ 1505 - Y50R	08 B 17	0,57
B116	Beige Nature	BRI	9223 C	-	\$ 2005-Y50R	-	0,51
B116	Beige Nature	TCL	-	-	\$ 1505 - Y50R	08 B 17	0,57
B116	Beige Nature	TCR	-	-	\$ 1505 - Y50R	08 B 17	0,57
B116	Beige Nature	EXM	9223 C	-	\$ 2005-Y50R	-	0,51
B117	Blanc Artic	FA	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	EXM	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	SLK	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	BRI	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	EPM	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	LEG	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	TCH	-	9003	\$ 0603 - R80 B	-	0,83
B117	Blanc Artic	ALG	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	FUS	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	ROC	9062 C	9003 (D)	\$ 0502-B	-	0,86
B117	Blanc Artic	TCL	-	9003	\$ 0603 - R80 B	-	0,83
B117	Blanc Artic	TCR	-	9003	\$ 0603 - R80 B	-	0,83
B118	Bleu Nuit	FA	534 C	5000 (L)	\$ 6030-R80B	20 C 39	0,05
B118	Bleu Nuit	BRI	534 C	5000 (L)	\$ 6030-R80B	20 C 39	0,05
B119	Bleu Turquoise	FA	631 C	-	\$ 1050-B10G	18 E 51 (D)	0,34
B120	Brique	FA	7600 C	8004 (L)	\$ 4040-Y80R	-	0,15
B120	Brique	BRI	7600 C	8004 (L)	\$ 4040-Y80R	-	0,15
B120	Brique	TCH	7600C	8004	\$ 4040-Y80R	-	0,11
B120	Brique	TCL	7600C	8004	\$ 4040-Y80R	-	0,11
B120	Brique	TCR	7600C	8004	\$ 4040-Y80R	-	0,11
B123	Bleu Azur	FA	2995 C	5012 (D)	\$ 1060-B	-	0,23
B124	Bleu Batik	FA	633 C	-	\$ 3060-B10G	-	0,13
B125	Bleu Pétrole	FA	3035 C	-	\$ 5540-B10G	18 D 45 (L)	0,08

Code	Decor	Finish	PANTONE	RAL	NCS	BS	LRV
B125	Bleu Pétrole	BRI	3035 C	-	\$ 5540-B10G	18 D 45 (L)	0,08
B125	Bleu Pétrole	TCH	165U	6004 (D)	\$ 6020-B10G	7085	0,11
B125	Bleu Pétrole	TCL	165U	6004 (D)	\$ 6020-B10G	7085	0,11
B125	Bleu Pétrole	TCR	165U	6004 (D)	\$ 6020-B10G	7085	0,11
B126	Bleu Touareg	FA	5405 C	5014 (L)	\$ 5020-R90B	20 C 37 (L)	0,18
B127	Brun Havane	FA	Black 7 C	8019 (D)	\$ 8505-Y20R	-	0,09
B170	Blanc Absolu	FA	9064 C	9010 (D)	\$ 0300-N	00 E 55	0,86
B170	Blanc Absolu	BRI	9064 C	9010 (D)	\$ 0300-N	00 E 55	0,86
B170	Blanc Absolu	CUI	9064 C	9010 (D)	\$ 0300-N	00 E 55	0,86
B170	Blanc Absolu	LEG	9064 C	9010 (D)	\$ 0300-N	00 E 55	0,86
B170	Blanc Absolu	ROC	9064 C	9010 (D)	\$ 0300-N	00 E 55	0,86
B188	Blanc Névé	TCH	-	9003	\$ 0300 N	00 E 55	0,81
B189	Blanc Cristal	FA	9062 C	9003 (D)	-	-	0,88
B189	Blanc Cristal	EPM	9062 C	9003 (D)	-	-	0,88
B189	Blanc Cristal	FUS	9062 C	9003 (D)	-	-	0,88
B194	Bleu Buée	FA	621 C	7035	\$ 1005-B20G	18 C 33	0,73
B195	Bleu de Sèvres	FA	2119 C	5002	\$ 4055-R70B	108	0,09
B196	Bleu Velvet	FA	2161 C	5000	\$ 5030-R80B	105	0,13
B197	Bleu de Prusse	FA	532 C	5004	\$ 8010-R90B	7086	0,06
B205	Beige Nude	FA	4735C	-	\$ 3010-Y60R	04 B 21	0,42
B205	Beige Nude	SLK	4735C	-	\$ 3010-Y60R	04 B 21	0,42
B205	Beige Nude	BRI	4735C	-	\$ 3010-Y60R	04 B 21	0,42
B206	Bleu Encre	FA	7546C	5008	\$ 8005-R80B	20 C 40	0,1
B206	Bleu Encre	TCH	7546C	5008	\$ 8005-R80B	-	0,05
B206	Bleu Encre	TCL	7546C	5008	\$ 8005-R80B	-	0,05
B206	Bleu Encre	TCR	7546C	5008	\$ 8005-R80B	-	0,05
B207	Bleu Poudré	FA	7543C	-	\$ 3010-R80B	18 C 35	0,4
B207	Bleu Poudré	SLK	7543C	-	\$ 3010-R80B	18 C 35	0,4
B207	Bleu Poudré	BRI	7543C	-	\$ 3010-R80B	18 C 35	0,4
C017	Coquille d'Œuf	FA	9180 C	1015 (D)	\$ 0907-Y30R	08 C 31	0,60
C018	Chardon	FA	535 C	5023	\$ 4030-R90B	20 C 37 (L)	0,20
C035	Camouflage	FA	7756 C	-	\$ 6020-G70Y	-	0,16
C049	Cactus	FA	368 C	-	\$ 1070-G40Y	-	0,33
C062	Capucine	FA	7626 C	-	\$ 1080-Y90R	04 E 53	0,17
C116	Chocolat	FA	7519 C	-	\$ 7010-Y70R	08 B 27 (D)	0,09
C117	Citronelle	FA	609 C	-	\$ 0530-G80Y	10 E 49 (L)	0,75
C117	Citronelle	BRI	609 C	-	\$ 0530-G80Y	10 E 49 (L)	0,75
C118	Cèdre Bleu	FA	5425 C	5024 (L)	\$ 3030-B	-	0,27
C120	Caramel	FA	471 C	-	\$ 3060-Y50R	06 E 56	0,21
C120	Caramel	BRI	471 C	-	\$ 3060-Y50R	06 E 56	0,21
C121	Ciel de Brume	FA	430 C	-	\$ 3020-R90B	20 C 35 (L)	0,35
C188	Crème de Lait	FA	Cool Gray 1 C	9003	\$ 0603-G40Y	10 B 15	0,83
C189	Cyclamen	FA	255 C	4008	\$ 4050-R50B	24 E 53	0,10
C190	Céladon	FA	5595 C	9018	\$ 1510-G	7081	0,53
E021	Écru	FA	9225 C	9001	\$ 0804-Y30R	-	0,77
E021	Écru	SLK	9225 C	9001	\$ 0804-Y30R	-	0,77
E021	Écru	BRI	9225 C	9001	\$ 0804-Y30R	-	0,77
E021	Écru	TCH	9225C	9001	\$ 0804-Y30R	-	0,76
E021	Écru	TCL	9225C	9001	\$ 0804-Y30R	-	0,76
E021	Écru	TCR	9225C	9001	\$ 0804-Y30R	-	0,76
E026	Émeraude	FA	2230 C	-	\$ 2555-B30G	16 E 53 (D)	0,26
E082	Épicea	FA	7743 C	6011	\$ 4030-G30Y	-	0,19
F001	Florida	FA	1585 C	2010	\$ 0580-Y60R	06 E 55	0,24
F006	Fer	FA	405 C	7005 (L)	\$ 6500-N	06 A 11	0,18
F008	Fumée	FA	536 C	-	\$ 1010-R80B	20 C 33 (D)	0,67
F026	Feutre	FA	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F026	Feutre	EXM	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F026	Feutre	EPM	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F026	Feutre	LEG	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F026	Feutre	ALG	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F026	Feutre	FUS	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F026	Feutre	ROC	7535 C	-	\$ 2005-Y50R	06 A 03 (L)	0,52
F054	Ficelle	FA	7501 C	-	\$ 1505-Y50R	08 B 17	0,54
F055	Figue	FA	262 C	-	\$ 5040-R50B	24 E 58 (D)	0,08
G003	Gris Perle	FA	421 C	7040	\$ 3005-R80B	18 B 19 (L)	0,40
G005	Grand Bleu	FA	636 C	-	\$ 1030-B	-	0,51
G012	Grès	FA	4545 C	1013 (D)	\$ 1505-Y20R	-	0,60
G024	Grenade	FA	1815 C	3011	\$ 4050-R	04 D 45 (L)	0,11
G024	Grenade	BRI	1815 C	3011	\$ 4050-R	04 D 45 (L)	0,11
G029	Gris Tourterelle	FA	427 C	7035	\$ 1502-B	-	0,55

Code	Decor	Finish	PANTONE	RAL	NCS	BS	LRV
G031	Genêt	FA	143 C	1003	S 0560-Y20R	-	0,57
G044	Gris Dauphin	FA	413 C	7047	S 2000-N	02 A 03 (L)	0,55
G059	Gris Orage	FA	7540 C	7024	S 7502-B	00 A 13 (L)	0,09
G075	Gris Cendré	FA	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	EXM	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	SLK	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	EPM	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	LEG	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	TCH	7539 U	7004	S 4000 - N	00 A 07	0,31
G075	Gris Cendré	ALG	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	BRI	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	FUS	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	ROC	415 C	7004	S 4502-B	00 A 07	0,32
G075	Gris Cendré	TCL	7539 U	7004	S 4000 - N	00 A 07	0,31
G075	Gris Cendré	TCR	7539 U	7004	S 4000 - N	00 A 07	0,31
G076	Gris Acier	FA	Cool Gray 11 C	7012	S 6502 - B	-	0,15
G076	Gris Acier	SLK	Cool Gray 11 C	7012	S 6502 - B	-	0,15
G076	Gris Acier	BRI	Cool Gray 11 C	7012	S 6502 - B	-	0,15
G076	Gris Acier	TCH	424 C - 445 U	7012 (D)	S 6502 - B	9096 (D)	0,15
G076	Gris Acier	TCL	424 C - 445 U	7012 (D)	S 6502 - B	9096 (D)	0,15
G076	Gris Acier	TCR	424 C - 445 U	7012 (D)	S 6502 - B	9096 (D)	0,15
G077	Galet	FA	7529 C	-	S 4005-Y50R	-	0,37
G077	Galet	SLK	7529 C	-	S 4005-Y50R	-	0,37
G077	Galet	BRI	7529 C	-	S 4005-Y50R	-	0,37
G077	Galet	TCH	6401 U	-	S 3005-Y50R	-	0,37
G077	Galet	TCL	6401 U	-	S 3005-Y50R	-	0,37
G077	Galet	TCR	6401 U	-	S 3005-Y50R	-	0,37
G080	Gris Taupe	FA	Warm Gray 9C	7036 (L)	S 5502-R	-	0,23
G115	Gris Saguenay	FA	414 C	7038	S 3000-N	00 A 03	0,41
G115	Gris Saguenay	BRI	414 C	7038	S 3000-N	00 A 03	0,41
G116	Gris Halo	FA	Cool Gray 1C	7047	S 1002-G	02 A 03	0,71
G117	Gris Birdy	FA	Warm grey 5C	7036	S 3005-R20B	00 A 03	0,39
G118	Gris Mercure	FA	Cool Grey 8C	7030	S 4000-N	00 A 07	0,30
G119	Gris de Lin	FA	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	EXM	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	EPM	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	LEG	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	ALG	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	CUI	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	FUS	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G119	Gris de Lin	ROC	2330 C	9002	S 1502-G50Y	06 A 03	0,66
G120	Gris Vison	FA	2335 C	7022	S 7005-Y20R	08 B 29	0,13
G120	Gris Vison	SLK	2335 C	7022	S 7005-Y20R	08 B 29	0,13
G120	Gris Vison	BRI	2335 C	7022	S 7005-Y20R	08 B 29	0,13
G120	Gris Vison	TCH	418C	7022	S 7502-Y		0,09
G120	Gris Vison	TCL	418C	7022	S 7502-Y		0,09
G120	Gris Vison	TCR	418C	7022	S 7502-Y		0,09
G175	Gris Absolu	FA	422 C	7004	S 4000-N	00 A 07	0,31
G175	Gris Absolu	BRI	422 C	7004	S 4000-N	00 A 07	0,31
G175	Gris Absolu	FUS	422 C	7004	S 4000-N	00 A 07	0,31
G176	Gris Mystic	TCH	Cool gray 7C	7004	S 4000-N	00 A 07	0,15
H035	Hacienda	FA	7591C	3022	S3040-Y50R	-	0,28
J018	Jaune Gouache	FA	142 C	-	S1050-Y10R	-	0,61
J024	Jaune Sambra	FA	7555 C	1032	S 2060-Y10R	08 E 56	0,40
J024	Jaune Sambra	BRI	7555 C	1032	S 2060-Y10R	08 E 56	0,40
K003	Kaki	FA	451 C	6013 (D)	S 4020-G70Y	12 B 21 (L)	0,27
K003	Kaki	BRI	451 C	6013 (D)	S 4020-G70Y	12 B 21 (L)	0,27
M047	Mousse	FA	624 C	-	S 3020-B70G	16 C 35 (L)	0,35
M100	Muscade	FA	2312 C	-	S 3010-Y40R	-	0,37
M102	Miel Sucré	FA	7563 C	-	S 2050-Y20R	08 D 43 (D)	0,35
M103	Mimosa	FA	122 C	1018 (L)	S 0560-Y	10 E 50 (L)	0,59
M133	Mauve Poudré	FA	5215 C	4009	S 3020-R40B	797	0,35
M149	Mauve Aquarelle	FA	5225C	4009	S3010-R10B	-	0,39
N002	Néon	FA	611 C	-	S 2040-G80Y	-	0,50
N005	Noir	FA	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	SLK	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	EPM	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	LEG	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	TCH	Black 7C	7021	S 8500 N	18 A 14	0,04
N005	Noir	ALG	Black C	9005	S 9000-N	00 E 53	0,06

Code	Decor	Finish	PANTONE	RAL	NCS	BS	LRV
N005	Noir	BRI	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	FUS	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	ROC	Black C	9005	S 9000-N	00 E 53	0,06
N005	Noir	TCL	Black 7C	7021	S 8500 N	18 A 14	0,04
N005	Noir	TCR	Black 7C	7021	S 8500 N	18 A 14	0,04
N105	Noir Absolu	FA	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	BRI	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	CUI	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	EPM	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	FUS	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	LEG	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	ROC	Black C	9005	S 9000-N	00 E 53	0,02
N110	Noir Sidéral	TCH	Black 7C (D)	7021 (D)	S 8500 N	18 A 14	0,04
O111	Orgeat	FA	Cool Gray 1 C	9010	S 0603-G40Y	00 E 55	0,79
O112	Ocre Roussillon	FA	7574 C	8001	S 4050-Y30R	410	0,22
O112	Ocre Roussillon	CUI	7574 C	8001	S 4050-Y30R	410	0,22
O113	Ocre de Toscane	FA	7599 C	3016	S 4050-Y70R	570	0,18
O113	Ocre de Toscane	BRI	7599 C	3016	S 4050-Y70R	570	0,18
P001	Pierre de Lune	FA	7531 C	7006 (D)	S 5005-Y20R	08 B 23 (D)	0,19
P001	Pierre de Lune	SLK	7531 C	7006 (D)	S 5005-Y20R	08 B 23 (D)	0,19
P001	Pierre de Lune	BRI	7531 C	7006 (D)	S 5005-Y20R	08 B 23 (D)	0,19
P001	Pierre de Lune	TCH	7531C	7006	S 5005-Y70R	-	0,24
P001	Pierre de Lune	TCL	7531C	7006	S 5005-Y20R	-	0,24
P001	Pierre de Lune	TCR	7531C	7006	S 5005-Y20R	-	0,24
P092	Pomme Verte	FA	583 C	-	S 1060-G60Y	12 E 51	0,50
P112	Prune	FA	7643 C	-	S 4040-R30B	02 D 45 (L)	0,11
P114	Poire	FA	447 C	7016	S 8500-N	18 A 14 (L)	0,05
P114	Poire	SLK	447 C	7021 (D)	S 8500-N	18 A 14 (L)	0,05
P114	Poire	TCH	433 U	7024	S 7502 B	00 A 13	0,08
P114	Poire	BRI	447 C	7021 (D)	S 8500-N	18 A 14 (L)	0,05
P114	Poire	TCL	433 U	7024	S 7502 B	00 A 13	0,08
P114	Poire	TCR	433 U	7024	S 7502 B	00 A 13	0,08
R036	Rouge Cerise	FA	187 C	3001	S 2570-Y90R	-	0,12
R046	Raphia	FA	2325 C	-	S 4010-Y10R	-	0,31
R047	Rouge Griotte	FA	216 C	4004 (D)	S 3060-R20B	-	0,10
R057	Rouge Amarante	FA	1815 C	3009	S 6030-Y90R	473	0,10
R058	Rose Givré	FA	489 C	1015	S 0520-Y90R	8090	0,67
R059	Rose Indien	FA	7423 C	3017	S 2060-R10B	02 D 43	0,24
R060	Rose Velours	FA	4995 C	4009	S 4030-R20B	02 C 37	0,22
R060	Rose Velours	FA	4995 C	4009	S 4030-R20B	02 C 37	0,22
R061	Rouge Cinabre	FA	179 C	2002	S 10-Y80R	04 E 55	0,22
R062	Rouge Fatal	FA	7620 C	3000	S 1580-Y90R	04 E 56	0,15
R062	Rouge Fatal	BRI	7620 C	3000	S 1580-Y90R	04 E 56	0,15
S066	Sable Mouillé	FA	7502 C	1001 (L)	S 3020-Y10R	-	0,41
S067	Seigle	FA	7536 C	-	S 3005-Y20R	-	0,40
S067	Seigle	CUI	7536 C	-	S 3005-Y20R	-	0,40
S068	Soie Grège	FA	9226 C	1013	S 1005-Y10R	-	0,71
T063	Terre d'Ombre	FA	7504 C	-	S 6010-Y50R	-	0,19
T106	Tangerine	FA	1365 C	1017	S 1060-Y30R	368	0,49
V014	Vinyle	FA	1575 C	2011 (D)	S1060-Y50R	06 E 51 (L)	0,35
V106	Vert de Gris	FA	623 C	6021	S 3010-G10Y	14 C 35	0,40
V107	Vert Paradis	FA	2243 C	6024	S 3030-B90G	228	0,30
V108	Vert Sarcelle	FA	5477 C - 7722 C	6004	S 6030-B70G	16 C 39	0,12
V108	Vert Sarcelle	BRI	5477 C - 7722 C	6004	S 6030-B70G	16 C 39	0,12
V109	Vert Bali	FA	7738 or 362	6018	S 2060-G20Y	12 E 55	0,33
V110	Vert Impérial	FA	7733 C	6024	S 3060-G	14 D 44	0,20
V112	Vert des Vosges	FA	446C	6012	S 8005-B80G	16 C 40	0,11
V112	Vert des Vosges	TCH	446C	6012	S 7502-G	-	0,07
V112	Vert des Vosges	TCL	446C	6012	S 7502-G	-	0,07
V112	Vert des Vosges	TCR	446C	6012	S 7502-G	-	0,07
V113	Vert Sauge	FA	5635C	-	S 4010-G30Y	BS 60 66	0,33
V113	Vert Sauge	SLK	5635C	-	S 4010-G30Y	BS 60 66	0,33
Y022	Rose Bougainvillée	FA	7647 C	-	S2060-R30B	-	0,17
Z016	Zeste de Citron	FA	102 C	1016	S 0560-G90Y	-	0,63



We recommend checking the desired colour with a **real sample!**

* LRV : Light Reflectance Value

woods

Code	Decor	Finish	LRV	essence
B023	Bois de Pécan	FA	0,12	Exotic
B100	Banian Blanchi	FA	0,37	Exotic
B100	Banian Blanchi	EPM	0,37	Exotic
B101	Banian Noirci	FA	0,10	Exotic
B101	Banian Noirci	EPM	0,10	Exotic
B102	Bouleau de Sibérie	EXM	0,52	Birch
B131	Bouleau Argenté	EXM	0,46	Birch
B131	Bouleau Argenté	LEG	0,46	Birch
B192	Bouleau Stevenson	EXM	0,61	Birch
B193	Bouleau de Gaspésie	EXM	0,53	Birch
B193	Bouleau de Gaspésie	FA	0,53	Birch
B208	Birnam Oak	EXM	0,26	Oak
C003	Chêne de Macédoine	FA	0,32	Oak
C047	Chêne Wengé	FA	0,09	Oak
C091	Chêne de Fil Brun	SEV	0,08	Oak
C091	Chêne de Fil Brun	FA	0,08	Oak
C098	Chêne de Fil Naturel	FA	0,45	Oak
C098	Chêne de Fil Naturel	EPM	0,45	Oak
C102	Chêne Clair Horizontal	EXM	0,53	Oak
C102	Chêne Clair Horizontal	FA	0,53	Oak
C103	Chêne Lavé	SEV	0,38	Oak
C103	Chêne Lavé	FA	0,38	Oak
C104	Cœur de Pommier	EXM	0,45	Fruit tree
C105	Chêne Québec	EXM	0,36	Oak
C105	Chêne Québec	ESA	0,36	Oak
C127	Chêne Giverny	FA	0,46	Oak
C127	Chêne Giverny	ESA	0,46	Oak
C128	Chêne Alaska	EXM	0,68	Oak
C128	Chêne Alaska	LEG	0,68	Oak
C128	Chêne Alaska	FA	0,68	Oak
C129	Chêne Bastide	EXM	0,45	Oak
C129	Chêne Bastide	ESA	0,45	Oak
C130	Chêne Topia	EXM	0,18	Oak
C131	Chêne Murano	FA	0,09	Oak
C132	Chêne des Marais	SEV	0,14	Oak
C132	Chêne des Marais	FA	0,14	Oak
C133	Chêne Vendôme	SEV	0,37	Oak
C133	Chêne Vendôme	ESA	0,37	Oak
C133	Chêne Vendôme	FA	0,37	Oak
C137	Chêne Cut Naturel	FA	0,44	Oak
C148	Chêne Pyla	EXM	0,39	Oak
C148	Chêne Pyla	LIM	0,39	Oak
C148	Chêne Pyla	FA	0,39	Oak
C149	Chêne Colorado	EXM	0,19	Oak

Code	Decor	Finish	LRV	essence
C149	Chêne Colorado	LIM	0,19	Oak
C149	Chêne Colorado	FA	0,19	Oak
C150	Chêne Braserio	SEV	0,10	Oak
C150	Chêne Braserio	FA	0,10	Oak
C178	Châtaignier Corte	EXM	0,33	Chestnut
C178	Châtaignier Corte	EPM	0,33	Chestnut
C179	Chêne des Massifs	EXM	0,35	Oak
C179	Chêne des Massifs	ESA	0,35	Oak
C179	Chêne des Massifs	FA	0,35	Oak
C180	Chêne Alba	SEV	0,48	Oak
C180	Chêne Alba	LIM	0,48	Oak
C180	Chêne Alba	FA	0,48	Oak
C181	Cerisier Naturel	EXM	0,41	Fruit tree
C182	Chêne Adrian	EXM	0,39	Oak
C182	Chêne Adrian	ESA	0,39	Oak
C183	Chêne d'Argent	LIM	0,42	Oak
C183	Chêne d'Argent	FA	0,42	Oak
C184	Cerisier des Cariatides	EXM	0,48	Fruit tree
C185	Chêne d'Australie	EXM	0,55	Oak
C186	Chêne des Combrailles	EXM	0,10	Oak
C187	Cerisier Ambré	EXM	0,17	Fruit tree
C187	Cerisier Ambré	FA	0,17	Fruit tree
C201	Chêne des Tourbières	SEV	0,07	Oak
C201	Chêne des Tourbières	TCH	0,05	Oak
C201	Chêne des Tourbières	TCL	0,05	Oak
C202	Chêne Zermatt	ESA	0,24	Oak
C202	Chêne Zermatt	FA	0,24	Oak
C203	Chêne Montorgueil	EXM	0,35	Oak
C204	Chêne Montorgueil Horizontal ⁽⁹⁾	EXM	0,35	Oak
C205	Chêne des Alpillles	ESA	0,25	Oak
C206	Cathedral Oak	EXM	0,32	Oak
C212	Chêne Monceau	EXM	0,44	Oak
C212	Chêne Monceau	FA	0,44	Oak
D018	Chêne de Meymac	FA	0,39	Oak
D021	Pommier de Deauville	FA	0,76	Fruit tree
E009	Érable Blanc	FA	0,61	Maple
E028	Érable Nordique	FA	0,50	Maple
E035	Ébène	FA	0,02	Ebony
E035	Ébène	BRI	0,02	Ebony
E042	Ébène Oranga	FA	0,09	Ebony
E083	Élina Clair	EXM	0,35	Exotic
E083	Élina Clair	EPM	0,35	Exotic
E103	Érable Féroé	EXM	0,67	Maple
E104	Érable Féroé Horizontal ⁽⁹⁾	EXM	0,61	Maple
E105	Érable Brunswick	FA	0,53	Maple
E110	Eucalyptus Rubané	EPM	0,34	Exotic
E110	Eucalyptus Rubané	FA	0,34	Exotic
F012	Fruitier Cendré	EXM	0,25	Fruit tree
F056	Frêne Scandinave	EXM	0,53	Ash
F056	Frêne Scandinave	LEG	0,53	Ash
F056	Frêne Scandinave	FA	0,53	Ash
F058	Frêne Cristal	SEV	0,30	Ash
F058	Frêne Cristal	FA	0,30	Ash
F061	Frêne Monreale	SEV	0,41	Ash
F061	Frêne Monreale	FA	0,41	Ash
F086	Frêne de Liège	FA	0,57	Ash
F098	Frêne Blond	EXM	0,48	Ash
F098	Frêne Blond	LIM	0,48	Ash
F099	Frêne Charbonné	LEG	0,10	Ash
F099	Frêne Charbonné	FA	0,10	Ash
H025	Pommier de Honfleur	FA	0,45	Fruit tree
H027	Hêtre de Provence	FA	0,40	Beech
H028	Hêtre Bergen	SEV	0,53	Beech
H028	Hêtre Bergen	FA	0,53	Beech
H029	Hêtre Stockholm	SEV	0,32	Beech
H029	Hêtre Stockholm	FA	0,32	Beech
L092	Lamella Clair	EXM	0,36	Exotic
L093	Lamella Noisette	EXM	0,13	Exotic

Code	Decor	Finish	LRV	essence
M007	Merisier Rustique	FA	0,28	Fruit tree
M091	Merisier Ambré	FA	0,18	Fruit tree
M122	Multiplis Nature	EXM	0,42	Exotic
M132	Multiplis Tropical	EXM	0,28	Exotic
M132	Multiplis Tropical	EPM	0,28	Exotic
N010	Noyer Perlé	FA	0,11	Walnut
N024	Noyer Tropical	EXM	0,22	Walnut
N026	Noyer Ombré	FA	0,15	Walnut
N026	Noyer Ombré	EXM	0,15	Walnut
N056	Noisetier Naturel	EXM	0,32	Walnut
N056	Noisetier Naturel	FA	0,32	Walnut
N057	Noisetier Brun	EXM	0,15	Walnut
N112	Noyer d'Amérique	EXM	0,38	Walnut
N112	Noyer d'Amérique	LIM	0,38	Walnut
N113	Noyer Marbot	SEV	0,36	Walnut
N113	Noyer Marbot	LIM	0,36	Walnut
N113	Noyer Marbot	FA	0,36	Walnut
N114	Noyer Havana	EXM	0,11	Walnut
N115	Noyer Havana Horizontal ⁽⁹⁾	EXM	0,10	Walnut
N116	Noyer Flammé	EXM	0,13	Walnut
N116	Noyer Flammé	ESA	0,13	Walnut
N117	Noyer Chesterfield	EXM	0,12	Walnut
N117	Noyer Chesterfield	BRI	0,12	Walnut
N118	Noyer Appalaches	EXM	0,18	Walnut
N122	Noyer Moka	ESA	0,14	Walnut
N122	Noyer Moka	FA	0,14	Walnut
O030	Olivier de Séville	EXM	0,37	Exotic
O076	Olivier Foncé	EXM	0,21	Exotic
O079	Orme Armagnac	EXM	0,23	Elm
O079	Orme Armagnac	LEG	0,23	Elm
O079	Orme Armagnac	FA	0,23	Elm
O081	Orme des Flandres	EXM	0,51	Elm
O082	Orme d'Autrefois	SEV	0,22	Elm
O082	Orme d'Autrefois	FA	0,22	Elm
O083	Orme Lubéron	EXM	0,47	Elm
O110	Orme Brun	EXM	0,35	Elm
O116	Orme Élégant	SLK	0,44	Elm
O116	Orme Élégant	ESA	0,44	Elm
O116	Orme Élégant	FA	0,44	Elm
O117	OSB Brut	EXM	0,47	OSB
P133	Pin Iceberg	EXM	0,68	Pine
P134	Peuplier Sablé	EXM	0,63	Poplar
P135	Pin de Nagoshi	FA	0,09	Pine
P135	Pin de Nagoshi	ESA	0,09	Pine
P136	Palissandre de Santos	EXM	0,13	Exotic
P136	Palissandre de Santos	BRI	0,13	Exotic
S040	Cérusé Clair	FA	0,55	Oak
S046	Silverblack Wood	LEG	0,14	Exotic
T105	Teck Carbone	FA	0,10	Exotic
T105	Teck Carbone	LIM	0,10	Exotic
W009	Wengé Blanc Cérusé	EXM	0,45	Exotic
W009	Wengé Blanc Cérusé	EPM	0,45	Exotic
W017	Wengé Poivre Cérusé	EXM	0,20	Exotic
W017	Wengé Poivre Cérusé	EPM	0,20	Exotic
Z002	Zebra Moka	FA	0,07	Exotic
Z017	Zingana	EXM	0,24	Exotic
Z017	Zingana	BRI	0,24	Exotic



We recommend checking the desired colour with a real sample.

* LRV : Light Reflectance Value

materials

Code	Decor	Finish	LRV
A058	Acier Oxydé	FA	0,17
A094	Antilope	CUI	0,23
A094	Antilope	FA	0,23
A095	Ardoise Oxydée	ROC	0,17
A095	Ardoise Oxydée	FA	0,17
A103	Argile Sablée	EXM	0,23
A120	Aracena	EXM	0,62
A120	Aracena	FA	0,62
B041	Brasilia	GRA	0,17
B041	Brasilia	FA	0,17
B092	Brossé Gris	FA	0,29
B099	Brushed Métal	FA	0,14
B133	Béton Bullé	GRA	0,31
B133	Béton Bullé	FA	0,31
B134	Béton Griffé	EXM	0,25
B134	Béton Griffé	FA	0,25
B135	Basalte	GRA	0,09
B135	Basalte	FA	0,09
B139	Bronze Doré	SUR	0,10
B140	Buffle	CUI	0,11
B140	Buffle	FA	0,11
B199	Béton Calade	EXM	0,15
B200	Boston	EXM	0,36
B214	Béton Ciré Clair	FA	0,42
B215	Béton Ciré Ombré	FA	0,25
C011	Caviar	FA	0,09
C011	Caviar	SUR	0,09
C141	Ciment Frais	FA	0,22
C151	Caldeira	ROC	0,15
C163	Ciment Brut	TCH	0,46
C166	Calacatta	FA	0,79
D062	Dolmen	SLK	0,35
E107	Element	ROC	0,49
F059	Fonte	ROC	0,09

Code	Decor	Finish	LRV
F084	Fonte Noirçi	TCH	0,07
G047	Glam Orphéo	BRI	0,30
G082	Glacis Charbon	FA	0,10
G082	Glacis Charbon	CUI	0,10
G087	Grès Antique	EXM	0,12
G121	Gris Étincelle	BRI	0,12
I004	Inox Brossé	FA	0,37
I004	Inox Brossé	ALG	0,37
L068	Lézard	CUI	0,29
L068	Lézard	FA	0,29
M001	Maryland Clair	FA	0,54
M001	Maryland Clair	SUR	0,54
M003	Maryland Foncé	FA	0,13
M003	Maryland Foncé	SUR	0,13
M022	Marbre Veneto	EXM	0,62
M022	Marbre Veneto	FA	0,61
M080	Marbre d'Ambria Noir	BRI	0,09
M112	Manganèse	FUS	0,14
M124	Marbre Taisa	EXM	0,29
M124	Marbre Taisa	FA	0,29
M125	Marquina	BRI	0,02
M134	Marbre Siroco	EXM	0,50
M134	Marbre Siroco	FA	0,50
M135	Médicis	FA	0,18
M137	Marbre Palazzo	BRI	0,12
M137	Marbre Palazzo	FA	0,12
M138	Marbre de Paros	SLK	0,73
M138	Marbre de Paros	EXM	0,73
M141	Marbre Venexia	EXM	0,18
M142	Marbre Alchimique	TCH	0,06
M143	Météorite	TCH	0,07
M143	Météorite	TCR	0,07
M144	Marbre Alcino	EXM	0,08
N023	Nova Saphir	FA	0,26
N023	Nova Saphir	SUR	0,26
N119	Noir Pépîte	BRI	0,02
O084	Onde Sablée	EXM	0,42
O102	Oxydo Noirçi	FUS	0,08
P022	Pearl Graphite	SUR	0,25
P024	Pearl Argent	SUR	0,46

Code	Decor	Finish	LRV
P120	Pierre de Lave	EXM	0,10
P120	Pierre de Lave	ROC	0,10
R049	Rouille	EXM	0,10
R049	Rouille	ROC	0,10
R050	Roc d'Armor	ROC	0,16
S030	Strass Blanc	BRI	0,76
S033	Strass Noir	BRI	0,05
S047	Salina	GRA	0,43
S047	Salina	FA	0,43
S049	Slate	ROC	0,14
S049	Slate	FA	0,14
S124	Schiste Clair	ROC	0,44
T006	Tectonica	EXM	0,33
T006	Tectonica	ROC	0,33
T006	Tectonica	FA	0,33
T085	Terre Sablée	ROC	0,16
T086	Textus Gris	EXM	0,25
T087	Textus Poivre	EXM	0,12
T091	Turin Marble	EXM	0,69
T107	Terrazzo Cassata	EXM	0,62
T107	Terrazzo Cassata	FA	0,62
T108	Travertin Naturel	EXM	0,47
T109	Tadelakt Ambré	EXM	0,63
T111	Textus Havana	EXM	0,22
T115	Travertin Vesta	FA	0,55
U191	Underground Corten	EXM	0,12
U192	Underground Fonte	EXM	0,19
U193	Underground Rouille	FUS	0,09
V015	Vesuvio	GRA	0,10
V015	Vesuvio	FA	0,10
W172	Woodstone Gris	EXM	0,32
Z022	Zeste Coco	FA	0,69
Z038	Zeste Indigo	FA	0,51
U193	Underground Rouille	FUS	0,09
V015	Vesuvio	FA	0,10
V015	Vésuvio	GRA	0,10
W172	Woodstone Gris	EXM	0,32
W172	Woodstone Gris	GRA	0,32
Z022	Zeste Coco	FA	0,69

MONOCHROM

COLOUR MATCHES AND LRV *

Code	Decor	Finish	PANTONE	RAL	NCS	BS	LRV
B170	Blanc Absolu	FA	9064 C	9010 (D)	S 0300-N	00 E 55	0,86
B170	Blanc Absolu	BRI	9064 C	9010 (D)	S 0300-N	00 E 55	0,86
B170	Blanc Absolu	CUI	9064 C	9010 (D)	S 0300-N	00 E 55	0,86
B170	Blanc Absolu	LEG	9064 C	9010 (D)	S 0300-N	00 E 55	0,86
B170	Blanc Absolu	ROC	9064 C	9010 (D)	S 0300-N	00 E 55	0,86
B188	Blanc Névé	TCH	-	9003	S 0300 N	00 E 55	0,81
B189	Blanc Cristal	FA	9062 C	9003 (D)	-	-	0,88
B189	Blanc Cristal	EPM	9062 C	9003 (D)	-	-	0,88
B189	Blanc Cristal	FUS	9062 C	9003 (D)	-	-	0,88
C163	Ciment Brut	TCH	-	-	-	-	0,45
C166	Calacatta	FA	-	-	-	-	0,79
F084	Fonte Noircie	TCH	-	-	-	-	0,06
G175	Gris Absolu	FA	422 C	7004	S 4000-N	00 A 07	0,31
G175	Gris Absolu	BRI	422 C	7004	S 4000-N	00 A 07	0,31
G175	Gris Absolu	FUS	422 C	7004	S 4000-N	00 A 07	0,31
G176	Gris Mystic	TCH	Cool gray 7C	7004	S 4000-N	00 A 07	0,31
M125	Marquina	BRI					0,01
N105	Noir Absolu	FA	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	BRI	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	CUI	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	EPM	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	FUS	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	LEG	Black C	9005	S 9000-N	00 E 53	0,02
N105	Noir Absolu	ROC	Black C	9005	S 9000-N	00 E 53	0,02
N110	Noir Sidéral	TCH	Black 7C (D)	7021 (D)	S 8500 N	18 A 14	0,04



			Euroclass ⁽¹⁾		Local Ranking ⁽²⁾		Certificate - DoP	
Products		Thickness	Quality to order					
			Standard ⁽³⁾	Fire Retardant	Standard ⁽³⁾	Fire Retardant	Standard ⁽³⁾	Fire Retardant
High Pressure Laminate HPL Bonded Board	Polyrey HPL® (incl. Polyprey® Bonded board)	0,8 / 4 mm ≥19,6 mm	D-s2,d0	B-s2,d0	M3 (≤1,5 mm)	M1 Class 1 (0,8 mm)	CWFT	Available
	Polyrey HPL® TOUCH (incl. Polyprey® Bonded board)	0,8 mm 19,6 mm	D-s2,d2	C-s2,d2	M3	-	CWFT	Available
	Monochrom HPL (incl. Monochrom Bonded board) Black core	0,9 / 1,2 mm 19,8 / 20,4 mm	D-s2,d0	-	M3	-	CWFT	-
	Monochrom HPL TOUCH (incl. Monochrom Bonded board) Black core	1,2 mm 19,8 / 20,4 m	D-s2,d2	-	M3	-	CWFT	-
	Monochrom HPL (incl. Monochrom Bonded board) Other cores	0,9 / 1,2 mm 19,8 / 20,4 mm	D-s2,d0	C-s2,d0	M3	-	CWFT	Available
	Monochrom HPL TOUCH (incl. Monochrom Bonded board) Other cores	1,2 mm 19,8 / 20,4 mm	D-s2,d2	C-s2,d1	M3	-	CWFT	Available
	Polyrey HPL® Library Polyrey HPL® Signature (incl. Signature Bonded board)	1 mm 19,9 mm	D-s2,d0	C-s2,d0	M3	-	CWFT	Available
	Pur Metal® - Panometal®	1 mm 19,8 / 19,9 mm	D-s2,d0	B-s2,d0	-	M1	CWFT	Available
	Polyrey HPL® (incl. Polyprey® Bonded board) Noncombustible board A2	3 mm	-	B-s1,d0	-	-	-	Available
Melamine Faced Board Acrylic Faced Board	Panoprey® Chipboard	12, 16, 19 mm	D-s2,d0	B-s2,d0	M2	-	Available (M)	Available
		> 19 mm	D-s2,d0	-	M3	-	CWFT	-
	Panoprey® TOUCH MDF faced chipboard	19 mm	D-s2,d0	-	-	-	CWFT	-
	Panoprey® MDF	19 mm	D-s2,d0	-	M3	-	CWFT	-
Compact HPL	Reysipur®	6 mm	D-s2,d0	B-s1,d0	-	M1	CWFT	-
		≥ 8 mm	C-s1,d0	B-s1,d0	-	M1	Available	Available
		≥ 12 mm	B-s1,d0 ⁽⁴⁾	-	-	M1	Available	Available
	Reysipur® TOUCH	≥ 6 mm	D-s2,d2	B-s1,d2	-	-	CWFT	Available
	Monochrom Compact & Reysitop® Black core	6 mm	D-s2,d0	-	-	-	CWFT	-
		≥ 8 mm	C-s1,d0	-	-	-	Available	-
	Monochrom Compact TOUCH Black core	≥ 6 mm	D-s2,d2	-	-	-	CWFT	-
	Monochrom Compact Other cores	≥ 6 mm	-	B-s2,d0	-	-	-	Available
	Monochrom Compact TOUCH Other cores	≥ 6 mm	-	C-s2,d1	-	-	-	Available
	Reysipur® Library Reysipur® Signature	6 mm	D-s2,d0	B-s1,d0	-	-	CWFT	Available
≥ 8 mm		C-s1,d0	B-s1,d0	-	-	Available	Available	

(1) Test method SBI EN 13823 - Ranking acc. EN 13501 - Test done on wood substrates B,s1-d0 ≥ 12 mm (except 3mm HPL done on non-combustible A2 board)

(2) France: Test method acc. NF P 92-501 - Ranking acc. NF P 92-507 - UK: Test method acc. BS 476-6 - Ranking acc. BS 476-7

(3) Conventional classification (CWFT) according to the reaction-to-fire performance classes set by the European Commission for wood products

(4) Fire-resistant by nature.

TRANSPORT FIRE CERTIFICATION



MARINE TRANSPORTATION

Products		Grade	Thickness	Released Applications	Certificates available
High Pressure Laminate	Polyrey HPL® (except TOUCH)	Postforming	0,8 to 1,2 mm	Wall Paneling on non combustible structure ⁽¹⁾	Module B + D (Quality System)
		Standard			
	Monochrom HPL Black core	Standard	0,9 mm		
	Pur Metal®	Fire retardant	1 mm		

IMO MED certified products. Tested in combination with non-combustible substrates. Test Method IMO Resolution MSC.307(88)-(FTP Code 2010) appendix 1, part 2, part 5
(1) According product placement (ie.cabinet) and final application (ie. furniture) IMO MED certification may not be required. Please refer to regulations in place.

RAILWAY TRANSPORTATION

Products		Grade	Thickness	Released Applications	Certificates available
High Pressure Laminate	Polyrey HPL® (except TOUCH)	Fire retardant	0,8 to 2 mm	HL2 - R1/R7/R17	Test report
Compact HPL	Reysipur® (except TOUCH)	Fire retardant	2 to 20 mm	HL2 - R1/R7/R17	Test report

Products meeting the standard's requirements EN 45545-2016 for vehicles classified HL2. For specific demand, please contact us.

BUS AND COACHES

Products		Grade	Thickness	Released Applications	Certificates available
High Pressure Laminate	Polyrey HPL® (except TOUCH)	Standard - Postforming	0,6 to 1,2 mm	Category M3, Classes II and III 1	Test report
Compact HPL	Reysipur® (except TOUCH)	Standard	2 to 6 mm	Category M3, Classes II and III 1	Test report

Products meeting the standard's requirements ECE R 118 annexes 6-7-8 for buses and coaches (vehicles with more than 8 seats).

PRODUCTS COMPOSITIONS & EMISSIONS




PRODUCTS COMPOSITION

	Norm and Regulation	Unit	Our answers	Available documents
Renewable Material	-	% mass	≥ 62% HPL ≥ 64% Compact ≥ 85% Wood based panels	External Lab Test report Self-declaration EPD ⁽²⁾
Recycled Material	ISO 14021-2016	% mass	20% Post-Consumer Recycled : Postforming-standard HPL (excl.4m) 48% Post-Consumer Recycled : Melamine Faced Chipboard 24% Post-Consumer Recycled : Bonded Board Chipboard 12% Recovered Material : Waterproof Panel 24% Post-Consumer Recycled : Worktop HPL	Self-declaration EPD ⁽²⁾
Certified Wood (CoC)	FSC-STD-40-004 PEFC ST 2002 : 2020	-	PEFC / FSC® : on demand RBUE ; EUTR : compliant	Certificates Self-declaration EPD ⁽²⁾
Banned chemical substances⁽¹⁾ (SVHC)	REACH CE 1907/2006	≤0.1% mass	REACH ; BPR ; C2C: compliant	Self-declaration ICDLI Product Information
Food Contact Safety	EN 1186 EN13130 CN/TS 14234	-	HPL / Compact HPL / Melamine Faced Board (excl. Pur Metal®, Panoprey® Touch)	Certificates (IANESCO)
Antibacterial Efficiency	JIS Z 2801 ISO 22196	% efficiency	Reduction of 99.9% of bacteria tested (x7) (excl. Pur Metal®)	Certificates (ISEGA)
Product End of Life	According product and local regulations	-	1 - Landfill (EWC 200301) 2 - Energy recovery (combustion from 17 to 20MJ/kg) 3 - Recycling (local branches) 4 - Reuse (local branches)	EPD ⁽²⁾
Product Carbon FootPrint	EN 15804+A2	Production Phase (GWP Cradle to Gate A1-A3) kg eq. CO ₂ /m ²	HPL : +1,34 kg eq. CO ₂ /m ² Bonded Board HPL: -9,11 kg eq. CO ₂ /m ² Compact : +9,01 kg eq. CO ₂ /m ² Melamine Faced Board : -17,6 kg eq. CO ₂ /m ² Worktop HPL : -28,5 kg eq. CO ₂ /m ² Wetwall™ Nuance : 43 kg eq. CO ₂ /m ²	EPD ⁽²⁾
Biogenic Carbon Stock	EN 15804-A2	kg C / m ²	HPL : +0,302 kg C/m ² Bonded Board HPL : + 5,02 kg eq. C/m ² Compact : +2,96 kg eq C/m ² Melamine Faced Board : 5,31 kg C/m ² Worktop HPL : +10,1 kg C/m ² Wetwall™ Nuance : 0,66 kg C/m ²	EPD ⁽²⁾

(1) Our products are free from heavy metals (Lead, Cadmium, Chromium, Mercury, Arsenic, Selenium), carcinogenic compounds (according to EC regulation 1272/2008), halogenated products chlorine, fluorine, bromine, nickel (according to EN1811), added urea-formaldehyde, solvent-based inks, PAK/PAH (polycyclic aromatic hydrocarbon due to wood preservative) and asbestos.

(2) Data based on our individual EPDs in accordance with standard EN 15804+A2. EPDs and product environmental data are available on the IBU and EcoPlatform (International) databases, as well as in the UpCyclea library. Visit our website www.polyrey.com and the official databases to find the latest versions. For FDES, please contact us.

PRODUCTS EMISSIONS (IAQ-INDOOR AIR QUALITY)



Norm & Regulation	Classification	Limit value	Products	Other Local Regulations Compliance	Other Labels Requirements Compliance	Building Certifications Compliance	Available documents
VOC French Decree	Wall scenario ⁽¹⁾ A+	Formaldehyde <10µg/m ³	Polyrey HPL® TOUCH Reysipur® TOUCH Pur Metal®	CMR French regulation, Italian CAM, German AgBB/ABG	Indoor Air Confort, Indoor Air Confort Gold	Breem International Exemplary, Leed, HQE TP	Eurofins report
		TVOC < 1000 µg/m ³	Panoprey® (Excluding Touch finish and MDF support) All substrate except MDF	CMR French regulation, Italian CAM, German AgBB/ABG	Indoor Air Confort Gold	Breem International Exemplary, Leed, HQE TP	Eurofins report Others grades on demand
	Wall scenario ⁽¹⁾ A	Formaldehyde <60µg/m ³	Polyrey HPL® (except TOUCH) Monochrom HPL & COMPACT Reysipur® (except TOUCH) Reysitop® Nuance	CMR French regulation, Italian CAM, German AgBB/ABG	Indoor Air Confort	Breem International Basic, HQE Basic	Eurofins report
		TVOC < 1500 µg/m ³	Panoprey® TOUCH Panoprey® MDF	CMR French regulation, Italian CAM German AgBB/ABG	Indoor Air Confort	Breem International Basic	Eurofins report
	Door scenario ⁽²⁾ A+	Formaldehyde <10µg/m ³ TVOC <1000 µg/m ³	Polyrey HPL® Pur Metal® Reysipur® Reysitop®	CMR French regulation, Italian CAM, German AgBB/ABG	Indoor Air Confort, Indoor Air Confort Gold	Breem International Exemplary, Leed, HQE TP	Eurofins report
Greenguard	Greenguard Gold	Formaldehyde <0,0073 ppm	Polyrey HPL® Reysipur® Reysitop® HPL TOUCH			Breem International Exemplary, Leed, Well	Greenguard Certificate
	Greenguard	Formaldehyde <0,025 ppm	Monochrom HPL Monochrom Compact			Breem International General, Leed	Greenguard Certificate
Formaldehyde EN 717	E1 ⁽³⁾	Formaldehyde 0.124mg (≤ 0,1 ppm)	All Products				CWFT report
Formaldehyde EN 16516	E1 equiv. E0,5 ⁽⁴⁾	Formaldehyde 0.124mg (≤ 0,1 ppm)	Panoprey® Polyprey® Polyform®				Test Report
Formaldehyde REACH Annexe XXVII EU 2023/1464	Compliant ⁽⁵⁾	Formaldehyde ≤ 0.062 mg/m ³	All Products				Eurofins Report
Ecarf	Allergy friendly products		Reysipur®				Ecarf certificate

- (1) Wall scenario: large area with a loading factor of 1.0 m²/m³
(2) Door scenario: small area with a loading factor of 0.05 m²/m³
(3) Loading factor of 1.0m²/m³ with 1x/H air change rate
(4) Loading factor of 1.8m²/m³ with 1x/2H air change rate
(5) Loading factor of 1,0m²/m³ with 1x/2H air change rate

Environmental
Find online our
Environmental passports,
Building environmental data sheets,
EPD.



Order your free samples, they will
be dispatched the same day.

REGISTER ONLINE



Access colour charts and
create your projects online.

Take advantage
of our product news.

View our
technical data sheets,
installation sheets,
care manual,
standard descriptions...

www.polyrey.com



EN

The information in this document is reliable and is intended to inform users of Polyrey®'s products about the essential properties of these products. However, Polyrey® cannot guarantee that the information is exhaustive. The information given may be modified at any time due to developments in technical characteristics or product ranges and, more generally, any changes in the standards, laws and regulations that apply to the products. Users of Polyrey®'s products should obtain information on the suitability of the products for their intended use from Polyrey®'s official professional resellers or directly from Polyrey®. For further information, product users are invited to consult polyrey.com. Polyrey® accepts no responsibility for the misuse of the information contained in this document. The information contained concerns the products shown and should not be used for any purpose other than that stated in the brochure. Polyrey® declines all responsibility for uses that do not comply with these precautions. Polyrey reserves the right to modify it. Please contact us to confirm current offers and trade terms.



www.polyrey.com

Ga
le
rie

Échantillon
Sample
Muster
Staal
Muestra
Amostra
Campione
Próbka

FR +33 (0)5 53 73 56 89

UK +44 (0)1923 202 700

DE +49 (0)211 90 17 40

NL +31 (0)20 708 31 31

BE +32 (0)2 753 09 09

ES +34 935 702 180

PT +34 935 702 180

IT +33 (0)5 53 73 56 87

Export – Other countries +33 (0)5 53 73 56 88

 **polyrey®**

A WILSONART COMPANY